

- aba* arrangement, 794, 795
abc arrangement, 794, 795
 ABS
 (acrylonitrile-butadiene-styrene), 1049
 Absolute entropy, 439–440
 Absolute zero, 153, 740
 Absorbance, 699, A16–A19
 Absorption, 755
 Absorptivity, molar, A16–A17
 Accelerators, 36, 992, 996–997, 1009
 Acclimatization, high-altitude, 977
 Accuracy, A8–A9
 Acetate ion, 268–269
 Acetic acid, 1038–1039
 aspirin derived from, 1039
 in buffered solution, 294–296, 299, 305–306
 conjugate base of, 268–269
 glacial, 924
 percent dissociation, 253–254
 reaction with strong base, 118
 titration with strong base, 311–315, 317, 325
 as weak acid, 99–100, 244
 Acetone–water solution, 867
 Acetylene, 1029–1030
 Acetylsalicylic acid, 1039
 Acid–base equilibria problems
 hydrogen ions from water in, 275–280
 major species in, 248, 281
 polyprotic acids in, 260–268
 salts in, 268–275
 strategies for, 248, 251, 280–281
 strong acids in, 248–249, 280
 strong bases in, 255–257, 280
 validity of approximations, 250–251, 276–278
 weak acids in, 249–255, 275–280
 weak bases in, 258, 270–271
See also pH
 Acid–base indicators, 119, 120, 320–325
 chart of pH ranges, 324
 Acid–base reactions, 106, 118–123
 in buffered solution, 295–296, 297, 300–302
 Acid–base titrations, 119–123, 315–320
 for determining K_a , 317–318
 indicators for, 119, 120, 320–325
 of polyprotic acids, 325–328
 strong acid–strong base, 308–310, 323, 325
 weak acid–strong base, 310–318, 325
 weak base–strong acid, 318–320
 Acid decomposition of paper, 3–7
 Acid dissociation constant (K_a), 242, 306
 accuracy of, 250
 determination of, 317–318
 log form of, 299, 306
 percent dissociation and, 253–255
 of polyprotic acids, 262, A24
 relation to K_b , 269–270
 of strong acids, 243–245
 tables of values, A24
 of weak acids, 245, 246
 Acidic solutions
 defined, 246
 hydrogen ions from water in, 275–280
 oxidation–reduction in, 130–132, 135–136
 of salts, 270–273
 solubility of salts in, 292–293, 334–335, 338
 Acid rain, 185–187, 391, 499, 757
 Acids, 241–242
 Arrhenius concept, 97–99, 118, 241
 Brønsted–Lowry concept, 118, 241, 242
 conjugate, 241, 242, 257, 258, 271
 diprotic, 244
 hydrogens in formulas for, 99–100
 hydrohalic, 244, 924–925
 Lewis concept, 953, 963
 naming of, 44
 nucleic, 4, 1060–1064
 organic, 244, 1038–1039
 polyprotic, 260–268, 293, 325–328
 strength of, 243–245
 triprotic, 262–265, 325–328
 water as, 245–246
See also Amphoteric substances; Oxyacids; pH; Strong acids; Weak acids
 Acid salts, of amines, 259
 Acrylonitrile-butadiene-styrene (ABS), 1049
 Actinide series, 566, 567, 568, 892, 940, 941
 Activated complex, 749–750
 Activation energy, 749–753
 catalysis and, 754–755
 for diamond production, 830
 Active site, of enzyme, 758
 Activity, 212–213
 of ions in solution, 334
 of pure liquid or solid, 213–214
 of real gases, 229
 of species in solution, 249
 of water, 242
 Activity coefficients, 229
 Actual yield, 80
 Addition
 in exponential notation, A2
 significant figures, A13–14
 Addition polymerization, 1043–1044
 Addition reactions, 1031
 Adhesive forces
 of geckos, 786
 between liquid and glass, 787
 Adhesives, 11
 Adiabatic processes, 457–460
 Adrenaline, 259
 Adsorption, 755, 756, 757
 Aerosol, earth cooling, 394
 Air
 composition of, 182
 liquefaction of, 896, 919
See also Atmosphere
 Air bags, 160
 Air pollution, 182–187
 catalytic converters and, 390, 757, 760
 electrostatic precipitator and, 879
 fossil fuels and, 183, 361, 760, 920
 nitrogen dioxide and, 183, 186, 695, 760, 909
 ozone and, 182, 183, 695
See also Acid rain
 -al (suffix), 1038
 Alchemy, 16, 149, 991
 Alcohols, 1034–1037
 esters derived from, 1039
 oxidation of, 1039
See also Ethanol; Methanol
 Aldehydes, 1037–1038
 Alkali metals (Group 1A), 35, 580–583, 896–898
 atomic radii, 578, 581, 893
 in biological systems, 897–898
 crystal structures of, 799–800
 flame test for, 340–341
 halides of, crystal structures, 611–612, 820–821
 hydroxides of, 255, 256–257
 ionization energies, 573–574, 580, 581
 Roman numerals and, 37
 as strong bases, 255
See also specific elements
 Alkaline battery, 494–495
 Alkaline earth metals (Group 2A), 35, 900–902
 hydroxides of, 255–256
 ionic radii, 578
 oxides of, 893, 900
 Roman numerals and, 37
 as strong bases, 255–256
See also specific elements
 Alkalis. *See* Bases
 Alkanes, 1020–1028
 cyclic, 1027–1028
 isomers of, 1023–1026
 nomenclature, 1024–1026
 reactions, 1026–1027
 Alkenes, 1029–1030, 1031
See also Ethylene
 Alkynes, 1029–1031
 Allen, Leland C., 602
 Allomones, 646
 Allotropes of carbon. *See* Diamond; Fullerenes; Graphite
 Allotropes of tin, 904–905
 Alloys, 801–802
 of aluminum, 507
 cobalt in, 950
 copper in, 951
 corrosion-resistant, 501
 of magnesium, 901
 silicon in, 904
 of tin, 904–905
See also Steel
 Alloy steels, 801–802
 α -helix, 1052, 1053, 1054
 Alpha (α) particles, 990, 991
 biological effects, 1010, 1011
 early experiments, 26–28, 996
 Altitude
 atmospheric pressure and, 182
 boiling point of water and, 832–833
 octane ratings, 74
 oxygen concentration and, 977
 Alum, in paper manufacturing, 4
 Alumina, 506–507
See also Aluminum oxide
 Aluminosilicates, 811
 Aluminum
 abundance, 895
 alloys of, 507
 for bicycles, 948
 electron configuration, 564
 ionization energies, 572
 physical properties, 902, 903
 production of, 506–507
 Aluminum chloride, aqueous solution, 271, 272
 Aluminum oxide
 amphoteric nature of, 506, 903
 in bauxite, 506–507
 corrosion inhibited by, 498–499
 electron configurations in, 607
 in gemstones, 970
 Amides, 1050
 Amines, 259, 1039–1040
 Amino acids, 1050, 1051, 1056
 protein synthesis and, 1062–1063
p-Aminobenzoic acid, 526
 Amino group, 1040
 Ammine ligand, 955, 958
 Ammonia, 911
 acid salt of, 259
 autoionization of, 246
 as base, 100, 257, 911
 in buffered solution, 294, 299–301
 combustion of, 387–388
 dipole moment, 604
 in fertilizers, 909, 911
 hydrogen bonding in, 911
 as ligand, 341–342, 344–345, 954
 naming of, 40
 in nitric acid production, 915
 nitrogen-fixing bacteria and, 910
 paper decomposition and, 5–6
 in qualitative analysis, 345
 reaction with hydrogen chloride, 171–172, 242
 sp^3 orbitals, 666
 substituted, 257, 259
 titration with strong acid, 318–320
 VSEPR model, 639, 640
 Ammonia synthesis
 bacterial, 910
 entropy change, 437–438
 equilibrium in, 207–211, 215–216, 222–223, 227, 228
 free energy change, 441, 445–446, 451–452
 limiting reactant in, 77–78
 temperature dependence of equilibrium constant, 227, 453
See also Haber process
 Ammonium chloride, 259, 270–272
 Ammonium dichromate, decomposition of, 72–73
 Ammonium dihydrogen phosphate, 917
 Ammonium ion, 32

- Ammonium salts, 911
solubility in water, 109, 341
- Amorphous solids, 789
red phosphorus, 916
See also Glass
- Ampere (amp), 503
- Amphoteric substances
aluminum oxide, 506, 903
beryllium oxide, 893, 900
defined, 245
gallium oxide, 903
in polyprotic acid titration, 326–328
water as, 245–246
- Amplified signal, 812
- amu (atomic mass units), 54–55
conversion to grams, 57–58
- Amylopectin, 1059
- Amylose, 1059
- Analytical chemistry. *See* Chemical analysis
- ane (suffix), 1024
- Angular momentum, in Bohr model, 533
- Angular momentum quantum number, 550, 553, 554
- Anions
as effective bases, 335
formation of, 32
names of, 36, 37, 39–40
oxyanions, 39–40, 925–926
periodic table and, 892
- Annihilation of particles, 991, 992
- Anode, 476, 482
- Anodic regions, 500
- Anslyn, Eric V., 648
- Antacids, 256, 335
- Anthracene, 1033
- Antibiotics, 646
- Antibonding molecular orbitals, 678, 679
electronic transitions from, 694
of octahedral complex, 972
- Anticodon, 1063
- Antifreeze, 870–871, 1036
- Antihydrogen, 992
- Antimatter, 991, 992
- Antimony, 907
in additives for PVC, 13
- Antiparticles, 991, 992
- Antiproton, 992, 1009
- Antlerite, 499
- Approximations
5% rule, 250–251
for logarithms, 247
significant figures, A8, A12–A14
for solving quadratic equations, A5–A7
See also Models
- Aqua regia, 345, 486, 948
- Aqueous solutions
defined, 95
electrolytes, 97–100, 875–876
of gases, 859–860, 861–862
importance of, 95
nonelectrolytes, 97, 100
phase diagram for, 868, 870
polarity of water and, 95–96
reactions in. *see also* Acid–base reactions; Oxidation–reduction reactions; Precipitation reactions
symbol for, 70, 96, 99
See also Acid–base equilibria problems; Hydration; Solubility; Solutions; Water
- Aragonite, 792
- Argon, 35, 794, 919, 928
electron configuration, 564
freezing point, 785
in Geiger counter, 998
- Aristotle, 786
- Arnold, Michael S., 835
- Aromatic alcohols, 1036
- Aromatic hydrocarbons, 1031–1033
See also Benzene
- Arrhenius, Svante, 97–99, 118, 241, 749
- Arrhenius acid–base concept, 98–99, 118, 241, 255
- Arrhenius equation, 751–753
- Arsenic, 906, 907
in semiconductors, 807, 811
- Arumainayagam, Christopher, 756
- Aspirin, 1039
- Astatine, 35, 923
- Atactic chain, 1047
- ate (suffix), 39, 44, 954
- atm (unit of pressure), 150
- Atmosphere, 182–187
carbon dioxide in, 361, 391, 392–393
composition of, 182
layers of, 182–183
oxygen in, 182, 183, 184
research on chemistry of, 185
water in, 392
See also Air pollution
- Atom(s)
ancient Greek ideas on, 16, 524
Dalton's theory of, 18, 19–21, 524, 958
early experiments on, 24–28
modern view of, 29–30, 524
See also Hydrogen atom; Quantum mechanics
- Atomic clock, 536
- Atomic force microscopy (AFM), 22
- Atomic masses, 54–57
early research on, 19–24, 560–562
- Atomic mass units (amu), 54–55
conversion to grams, 57–58
- Atomic number, 30, 34, 988, 989, 990
- Atomic radii, 578–579
group anomalies and, 893–895
polarizability and, 785
of transition metals, 945–946
- Atomic solids, 793
See also Metals; Network solids
- Atomic weights, 19, 55, 56
- Aufbau principle, 562, 618
- Autoionization
of liquid ammonia, 246
of water, 245–246, 248–249, 256–257
- Automobiles
air bags, 160
alcohol fuels, 401, 1035
catalytic converters, 390, 757, 760
fuel cells for, 496
hydrogen fuel, 399–400, 496
irreversible processes in, 455–457
lead storage batteries, 493–494, 906
nitrogen fixation by, 909
nitrous oxide power for, 914
sensor for exhaust gases, 125
work of engine, 365
See also Air pollution; Gasoline
- Autumn, Kellar, 786
- Average, A9–A10, A12
- Avogadro, Amedeo, 19, 20, 21, 153
- Avogadro's law (hypothesis), 20, 21, 153
- Avogadro's number, 57
- Axial hybrid orbitals, 671
- Azeotrope, of nitric acid and water, 915
- Azide ion, 910
- Baekeland, Leo H., 1041
- Bakelite, 1041
- Balancing chemical equations, 70–73
for galvanic cell, 480–481
for oxidation–reduction, 128–135, 480–481
- Ball-and-stick models, 31, 32, 34
- Band model, 800–801
- Bar (unit of pressure), 150, 212
- Barium, 35, 900, 901
- Barium nitrate, reaction with potassium chromate, 106–108
- Barium sulfate, insolubility of, 329, 853
- Barometer, 149
for vapor pressure measurement, 823
- Bartlett, Neil, 928
- Bases, 241–242, 255–260
amines as, 259
Arrhenius concept, 118, 241, 255
Brønsted–Lowry concept, 118, 241, 242, 255
conjugate, 242, 243, 244, 245, 257, 268–269
 K_b of, 257–258, 269–270, 271, 272–273, A23
Lewis concept, 907, 942, 952, 953, 963
in nucleic acids, 1061–1062, 1063
paper decomposition and, 5–6
reaction with water, 257, 257–258, 260, 333–334
strength of, 244, 270
strong, 97–98, 99, 255–256, 255–257, 268, 280
water as, 241–242, 243, 245–246, 270
weak, 100, 258, 260, 270, 294, A23
See also Acid–base equilibria problems; Acid–base reactions; Acid–base titrations; Amphoteric substances
- Basic solutions
defined, 246
of Group 2A oxides, 893, 900
oxidation–reduction in, 132–135
of salts, 268–270, 272–273
- Basis set, for molecular orbitals, 677
- Batteries, 493–497
dead, 488, 493
work done by, 456
- Bauer, Georg, 16
- Bauxite, 506–507
- bcc (body-centered cubic) unit cell, 790, 799–800
- Bequerel, Antoine Henri, 26, 27
- Beer–Lambert law, A16–A19
- Beethoven, Ludwig van, 905
- Bell, Valerie, 163
- Bent, Henry, 457
- Benzene, 257, 1031–1033
molecular orbital model, 689–690
- Benzene solution
aqueous, 858
with toluene, 867–868
- Benzoic acid, 244
- Benzopyrene, 1033
- Berquist, John C., 536
- Beryllium, 35, 900, 901
electron configuration, 563
electron-deficient compounds, 629
ionization energy, 573, 574
molecular orbital model, 681
- Beryllium chloride, 637
- Beryllium oxide, 893, 900
- Berzelius, Jöns Jakob, 20, 24
- Beta (β) particles, 26, 989, 990
biological effects, 1010
in breeder reactor, 1008
half-life and, 995
radiocarbon dating and, 999
in supernova explosion, 994
- Bicarbonate ions, 256, 260–261, 862
in human body, 753
in ocean, 505
- Bicycle frames, 948
- Bidentate ligands, 954
- Big bang theory, 994
- Bimolecular step, 739
- Binary covalent compounds
bonding in, 606
naming of, 39–41
- Binary ionic compounds
bonding in, 606
formation of, 609–613
naming of, 35–39, 41
oxidation states of, 126
- Binding energy per nucleon, 1003–1004
- Binning, Gerd K., 22
- Biodiesel oil, 401
- Biological systems
alkali metal ions in, 897–898
alkaline earth metal ions in, 582, 900–901
dispersion forces in, 786
elements in human body, 895
entropic forces in, 428
ice and, 878
nitrogen in, 909–910
piezoelectric wires in, 836
selenium in, 918
semiochemicals in, 646–647

- strong materials in, 792
water in, 899
See also Medicine
- Biomolecules, 1020
carbohydrates, 1055–1060
chirality in, 962–963, 1057–1058
coordination complexes, 974–977
nucleic acids, 4, 1060–1064
radiation damage to, 1008, 1010–1011, 1055
See also Enzymes; Proteins
- Biosensors, 125
- Biot, Jean, 959
- Bismuth, 906
- Blackbody radiation, 527
- Black phosphorus, 916
- Black powder, 538, 539
- Blood, pH of, 294
- Blowing agents, 911–912
- Boat form of cyclohexane, 1028
- Body-centered cubic (bcc) unit cell, 790, 799–800
- Boering, Kristie A., 185
- Bohr, Niels, 533
- Bohr model, 533–535, 537, 540, 550, 553
- Bohr radius, 553
- Boiler scale, 862
- Boiling chips, 828
- Boiling point, 826
entropy change at, 430–431
free energy and, 437
hydrogen bonding and, 783–784
normal, 828, 829–830
pressure dependence of, 832–833
vapor pressure at, 828
- Boiling-point elevation, 868–869
of electrolyte solutions, 876
- Boltzmann, Ludwig E., 169, 426
- Boltzmann's constant
entropy and, 427
molecular velocities and, 169–170
- Bomb calorimeter, 379–381
- Bombs. *See* Explosives
- Bond angles, 637–638, 639, 640–641, 650
- Bond energy, 596, 598–599, 615–616, 618–619
bond order and, 679–680, 684–685
chemical reactions and, 363–364, 619–621
electronegativity and, 600–601
of hydrogen halides, 925
table of values, 619
- Bonding
defined, 596, 615
in metals, 800–801
three-center, 902–903
types of, 30–33, 596–600
See also Covalent bonding;
Hydrogen bonding; Ionic bonding
- Bonding molecular orbitals, 678–679
electronic transitions from, 694, 695
of octahedral complex, 972
- Bonding pairs, 621, 623
- Bond length, 598, 619
bond order and, 684
rotational spectrum and, 700–701
vibration and, 696–697
- Bond order, 679–680, 682–683, 684–686
- Bond polarity. *See* Polar covalent bonds
- Bond strength, 679
See also Bond energy
- Bookkeeper process, 6
- Boranes, 902–903
- Boron, 902–903
atomic radius, 893
as atomic solid, 793
electron configuration, 563
electron-deficient compounds, 628, 629, 903
ionization energy, 574–575
molecular orbital model, 681–683
paramagnetism, 683–684
silicon doped with, 811, 813, 814
- Boron tetrafluoride ion, 675
- Boron trifluoride, 628, 637–638
- Boundary conditions, 545–546, 547, 548
- Boyle, Robert, 16, 150
- Boyle's law, 150–152
- Boyle's law, 153, 155
- Bragg, William Henry, 793
- Bragg, William Lawrence, 793
- Bragg equation, 793
- Brass, 801
- Breeder reactors, 1007–1008
- Brenner, R. J., 113
- Brine, electrolysis of, 509–510
- Brittle tin, 904
- Brochantite, 499
- Bromine, 35, 704, 923, 924, 925
electron affinity, 577
- Bromoethane, NMR spectrum of, 703, 704
- Bromthymol blue, 321–323
- Brønsted, Johannes N., 118, 241
- Brønsted–Lowry acid–base concept, 118, 241–242
- Brown phosphorus, 686
- Bubbles
boiling and, 828
cavitation and, 181
- Buckminsterfullerenes. *See* Fullerenes
- Buffer capacity, 304–307
- Buffered solutions, 294–302
exact treatment of, 302–304
how it works, 297–302
selecting weak acid for, 306–307
summary, 301–302
- Bumping, 828
- Buret, 119, A7
- Burns, Stephanie, 5
- Burton, William, 390
- Butane, 1022, 1023, 1027
- 2-Butanone, 704–706
- Cadmium, 565, 569
- Calcium, 35, 900–902
electron configuration, 565
- Calcium carbonate
as boiler scale, 862
in conch shell, 792
as marble, 186–187
solubility in acid, 292, 335
on sunken treasure, 505
thermal decomposition of, 213–214, 227
from water softening, 256
See also Limestone
- Calcium fluoride, crystal structure, 821
- Calcium hydroxide, 256
- Calcium oxide (lime)
commercial preparation of, 213
electron configurations in, 607
in scrubbing, 186, 187
in water softening, 256
- Calorimetry, 374–381
- Cancer
drugs for, 960
nanotechnology applications for, 835, 837
radiation therapy for, 1001
selenium and, 918
in smokers, 918
sunscreens and, 526
- Cannizzaro, Stanislao, 21, 23–24
- Capillary action, 787
- Captive zeros, A12–A13
- Carbohydrates, 1055–1060
- Carbon, 904
atomic mass, 54–56
atomic radius, 893
as atomic solid, 793, 794
bonding properties, 894, 1020
as diamond, 443, 793, 794, 802–803, 805, 830
diatomic, 684
electron affinity, 577
electron configuration, 563
as fullerenes, 793, 802, 815–816, 835
as graphite, 443, 793, 802, 803–805, 830–831
ionization energy, 575
in metallurgy, 896
phase diagram, 831–832
in steel, 801–802
See also Biomolecules;
Hydrocarbons
- Carbon-14, 55, 988–989, 999–1000
- Carbonate salts
qualitative analysis, 340
solubility in water, 109
- Carbon dioxide
amorphous solid form of, 808
Cannizzaro's atomic mass of, 21, 23
in carbonated beverages, 16, 859
climate and, 361, 391–394
Dalton's atomic theory and, 18
fire extinguisher with, 833
fossil fuels and, 391, 392–393, 861
geoengineering and, 394
hybrid orbitals for, 668–670
Lake Nyos tragedy, 863
Lewis structure, 624–625, 636
metabolism of, 753
phase diagram, 833
polar bonds in, 604
radiocarbon dating and, 999
as real gas, 181–182, 182
- sequestration of, 392, 392–393
solid state of, 815, 816, 825, 833
sublimation of, 825, 833
supercritical, 857
water solution of, 260, 292, 335
- Carbon fiber composites, 948
- Carbonia, 808
- Carbonic acid, 260–261
- Carbonic anhydrase, 753
- Carbon monoxide
atomic force microscopy and, 22
catalytic converter and, 757, 760
dipole moment, 603
methanol synthesis from, 1035
molecular structure, 674–675
oxidation mechanism, 744
reaction with nitrogen dioxide, 739, 741–742
in syngas, 395, 397
toxicity of, 977
- Carbon nanotubes, 835–836, 837
- Carbonyl group, 1037–1038
characteristic vibration, 698–699
- Carboxyhemoglobin, 977
- Carboxyl group, 244, 1038–1039
- Carboxylic acids, 1038–1039
See also Acetic acid
- Carboxypeptidase-A, 758–759
- Carlson, D. A., 113
- Carotene, 695, 696
- Carothers, Wallace H., 1041, 1046
- Cars. *See* Automobiles
- Catalysis, 753–762
defined, 754
by enzymes, 753, 758–759, 761, 1035, 1060
in Haber process, 755, 909
heterogeneous, 754, 755, 757, 760
homogeneous, 754, 758–759, 760, 762
by nanosized metallic particles, 835
by platinum group metals, 946
in polyethylene synthesis, 1045
in substitution reactions, 1032
by titanium dioxide, 754
- Catalytic converters, 390, 757, 760
- Cathode, 476, 481, 482
- Cathode-ray tubes, 24–25
- Cathodic protection, 501–502
- Cathodic regions, 500
- Cations, 32
names of, 36–39, 40, 41, 42–44
periodic table and, 892
qualitative analysis, 112–114, 338–341, 344, 345–346
See also Complex ions
- Cavitation, 181
- ccp (cubic closest packed) structure
holes in, 820–821
in ionic solids, 816–817
in metals, 794–796, 798–799
- Cell potential, 476–477
of battery, 493
concentration and, 486–492
as intensive property, 480–481

- standard values, 477–483
thermodynamics and, 483–486
- Cellulose, 1059, 1060
coal and, 391
in paper, 4, 5
- Cellulose nitrate, 1041
- Celsius temperature, conversion to Kelvin, 152
- Ceramics, 807–808, 811
grain sizes and properties of, 834
superconducting, 806
- Cerium, 941
- Cerium hydrogen sulfate, 135
- Certain digits, A7
- Cesium, 35, 580, 581, 897, 898
- Cesium atomic clock, 536
- Cesium chloride, 821
- Cesium fluoride, 820–821
- CFCs. *See* Chlorofluorocarbons (CFCs)
- Chain reaction, nuclear, 1006
- Chain theory, of coordination complexes, 958
- Chair form of cyclohexane, 1028
- Changes of state, 826–828
entropy and, 429–431, 432, 439
free energy and, 435–437
intermolecular forces and, 783
positional probability and, 418, 432
See also Boiling point; Melting point; Phase diagrams; Sublimation
- Charge
electrochemical work and, 483–484
formal, 631, 633–636
partial (fractional), 96, 600, 603
- Charge balance, 275–276, 280
- Charge density, hydration and, 582, 856–858
- Charge-to-mass ratio, of electron, 24, 25
- Charles, Jacques, 152
- Charles's law, 152–153, 155
- Chelating ligands, 954
- Chemical analysis
of cockroaches, 113
gravimetric, 116–118
qualitative, 114, 338–341, 343–344, 345–346
state-of-the-art, 125
volumetric, 119
See also Spectroscopy
- Chemical bond. *See* Bonding
- Chemical energy, 362–367
interchanged with electrical energy, 474–476
See also Bond energy
- Chemical equations, 69–71
balancing, 70–73
for oxidation–reduction, 128–135
for reactions in solution, 111–114
- Chemical equilibrium. *See* Equilibrium, chemical
- Chemical formula, 30
determination of, 64–69
for hydrated salt, 117–118
from name of compound, 42–44
- Chemical kinetics. *See* Kinetics, chemical
- Chemical reactions. *See* Reactions, chemical
- Chemical shift, 702–703
- Chemical vapor deposition (CVD), 830–831
- Chemistry
defined, 2
fundamental laws of, 17–19
history of, 16–24
industrial, 10–14
- Chemists, 2–3
- Chirality, 959–963
in monosaccharides, 1057–1058
- Chlor-alkali process, 509–510
- Chlorate ion, 926
- Chlorate salts, 926
- Chloride ions, 32, 35
- Chloride salts, solubility, 109, 340, 344–345
- Chlorinated hydrocarbons, 1021–1022
- Chlorine, 35, 922–926
attraction for electrons, 124, 894
commercial production of, 509–510
electron affinity, 577
oxidation state, 124
reaction with sodium, 31–32, 124
water purification by, 919
- Chlorite ion, 926
- Chlorofluorocarbons (CFCs), 695, 762, 1027
- Chlorophyll, 974, 975
- Christe, Karl O., 910
- Chromate ion, 949
- Chromium
coordination compounds of, 956, 968
electron configuration, 565, 568, 579, 618, 943–944
in gemstones, 970
reactions of, 947, 949
standard reduction potential of, 945
steel plated with, 508, 947
- Chromous ion, 949
- cis-trans* isomerism, 957, 960–962, 1029
- Clausius–Clapeyron equation, 825
- Clays, 805, 807–808, 811, 879
- Cleaning solution, 949
- Climate, carbon dioxide and, 361, 391–393
- Closest packing
alloy structures and, 801
in ionic solids, 816–821
in metals, 794–795, 798–800
of M & Ms, 796
- Coagulation, 878–879
- Coal, 391, 392
air pollution and, 183–187, 391
- Coal conversion, 395, 397
- Coal gasification, 395, 397
- Coal slurries, 397
- Cobalt
compounds of, 950
coordination compounds of, 950, 952, 954–958, 960–962, 965–966, 973
physical properties, 943
- Cockroach identification, 113
- Codons, 1062, 1064
- Coefficients, of chemical equation, 70–71
- Coffee cup calorimeter, 375
- Cohen, Ronald C., 185
- Cohesive forces, of liquid, 787
- Colligative properties, 868–876
boiling-point elevation, 868–869, 876
of electrolyte solutions, 875–876
freezing-point depression, 870–871, 875, 876
osmotic pressure, 871–875, 876, 1060
- Collision model, for kinetics, 749–753
- Collisions of gas molecules
equilibrium and, 205–206
intermolecular, 176–178
with walls, 164–167, 169, 174–175
- Colloids, 877–879
- Colors
of complex ions, 943, 967–968
of fireworks, 527–528, 538–539
of gems, 970
in spectroscopy, 695, A16
wavelength of light and, 967–968
- Combustion
of alkanes, 1027
of ammonia, 387–388
calorimetry of, 379–381
early experiments with, 16–17
entropy and, 457
of methane, 123, 127, 362–363, 380–381, 385–386, 413, 497
of methanol, 388–389, 444
as oxidation–reduction reaction, 123
of propane, 73–75
- Common ion effect, 292–294
in buffered solutions, 294–302
solubility and, 332–333
- Common names, 35–36, 40
of organic compounds, 1027
- Communication, chemical, 646–647
- Complementary color, 967
- Complete ionic equation, 111–112
- Complex ions, 942, 952–953
colors of, 943, 967–968
crystal field model, 964–971
equilibria involving, 334, 341–346
isomerism of, 956–963
ligand field model, 973
localized electron model, 963–964
magnetic properties, 965–968, 973
molecular orbital model, 971–973
nomenclature, 954–956
solubility and, 334, 343–346
VSEPR model and, 963
See also Coordination compounds
- Complex orbitals, 550–551, 554, 569
- Composites
carbon fiber, 948
in conch shell, 792
- Composition
percent, 62–64
of solutions, 100–105, 852
- Compounds
Dalton's atomic theory and, 19–21, 958
formula determination, 64–69
fundamental chemical laws and, 17–19
names of, 35–44
percent composition, 62–64
- Compressibility
of real gas, 181–182
of states of matter, 782
- Compression of a gas
adiabatic, 457–460
isothermal, 423–426
work associated with, 365–366
- Compton, Arthur, 529
- Computer chips, 812–813
- Concentrated solution, 852
- Concentration
cell potential and, 486–492
equilibrium position and, 222–224
free energy and, 445
gas pressure and, 210–212
of solution, 100–105
- Concentration cells, 490–492
- Conceptual problem solving, 61–62, 104
- Conch shell, 792
- Condensation, 432, 822
- Condensation polymerization, 1044–1045
of nucleic acids, 1062
of proteins, 1050
- Condensed states, 783
See also Liquids; Solids
- Conduction bands, 801, 803, 804, 811
- Conductors. *See* Electrical conductivity; Semiconductors; Thermal conductivity
- Confidence limits, A12
- Conjugate acid, 241, 242, 257, 258
of weak base, 271
- Conjugate acid–base pair, 241–242
- Conjugate base, 241–242, 257
of strong acid, 244, 245
of weak acid, 244, 245, 268–269
- Conjugated molecules, 695
- Conservation of energy, 361, 363, 364, 413
- Conservation of mass, 8, 17
- Constant pressure
enthalpy change at, 367–368, 371, 375, 455
heat capacity at, 368–371
- Constant-pressure calorimetry, 374–379
- Constant volume
heat capacity at, 368–371
heat flow at, 371, 379
- Constant-volume calorimetry, 379–381
- Constructive interference, 530,

- E85, fuel, 401
- Ecamsule, 526
- EDTA
(ethylenediaminetetraacet-ate), 954
- Effective nuclear charge, 559
atomic radius and, 578
- Effective pairs, 646–647, 649, 650
hybrid orbitals and, 667, 668, 669, 671, 674
- Efficiency, of galvanic cell, 484
- Effusion, 170–171, 173
- Eiffel, Gustave, 498
- Einstein, Albert, 528–529, 532, 574, 1002, 1009
- Ekasilicon, 560
- Elastic collisions, 164, 165
- Electrical conductivity, 97–100
of aqueous solutions, 97, 97–100
band model and, 801
of carbon nanotubes, 835–836
of graphene, 804
of graphite, 804
of metals, 34, 794, 800
of molten ionic compounds, 614
of silicon, 811
superconductivity, 806–807
See also Electric current; Semiconductors
- Electrical insulator, 803
- Electrical potential. *See* Cell Potential
- Electric charge. *See* Charge
- Electric current
in electrolytic cell, 503
in galvanic cell, 474–476, 483–484
in molten ionic compound, 614
in motor, 456
See also Electrical conductivity
- Electric field
bond polarity and, 600, 604
colloid in, 878
of electromagnetic radiation, 524
- Electric power. *See* Energy sources
- Electrochemistry
batteries, 456, 488, 493–497
corrosion and, 497–502, 505, 508
defined, 474
dental application of, 475
standard reduction potentials, 477–483, A24
window application of, 494–495
See also Electrolysis; Galvanic cells
- Electrodes
of galvanic cell, 476, 481–482
ion-selective, 489
- Electrolysis, 502–506
in alkali metal production, 896
in aluminum production, 506–507
for cleaning silver, 505
defined, 502
in electrorefining, 507–508
in galvanic cell, 502
in metal plating, 503, 504, 508
of mixtures of ions, 504, 506
of sodium chloride, 508–510
of water, 397–398, 504, 898
- Electrolytes, 97–100
coagulation by, 878–879
colligative properties of, 875–876
ion pairing in, 876
- Electrolytic cell, 502, 503
- Electromagnetic force, 1009
- Electromagnetic radiation, 524–526
blackbody, 527
classification of, 525, 526
diffraction of, 530, 791–793
hydrogen spectrum, 531–537
quantum theory of, 527–528, 529, 532
See also Gamma rays; Infrared radiation; Lasers; Light; Microwave radiation; Photons; Spectroscopy; Ultraviolet radiation
- Electromotive force (emf), 476, 483
- Electron(s), 29
early experiments on, 24–25
photoelectric emission of, 528–529
relativistic mass of, 574–575
wave properties of, 530–531, 537, 540, 542
See also Beta (β) particles; Valence electrons
- Electron acceptor, 128
- Electron affinity, 576–577, 579
- Electron capture, 991
- Electron configurations, 562–569
- Electron correlation problem
for atoms, 558–559, 569
for molecules, 676
- Electron-deficient compounds
of beryllium, 629
of boron, 628, 903
- Electron delocalization, 617
in methane, 691
molecular orbitals and, 688–690
resonance and, 627
- Electron density map, 552
- Electron donor, 128
- Electronegativity, 600–602
bonding in covalent hydrides and, 783
formal charge and, 634–635, 636
of halogens, 923
percent ionic character and, 613–614
- Electronic spectroscopy, 692–696
- Electronic transitions, 693
in Bohr model, 534, 535, 537
- Electron-pair acceptor, 953
- Electron-pair donor, 953
- Electron sea model, 800
- Electron spin, 557–558, 574–575
chemical shift and, 704, 705
- Electron spin quantum number, 558
- Electron-volts (eV), 572
- Electrorefining, 507–508
- Electrostatic precipitator, 879
- Electrostatic repulsion, in colloids, 877–878
- Elementary steps, 739, 744
- Elements
abundances of, 895–896
ancient Greek system, 16, 149
Boyle's definition of, 16
Dalton's atomic theory and, 19
enthalpy of formation, 386–387
in human body, 895–896
oxidation state of, 126
representative, 566, 579, 892–896
standard free energy of formation, 443–444, A19–A21
standard state, 384, 385–386
symbols for, 30, 988
synthesis in stars, 994, 1008
transformations of, 996–998
transuranium, 998
See also Groups; Isotopes; Periodic table
- Elephant poaching, 55
- Elevation. *See* Altitude
- emf (electromotive force), 476, 483
See also Cell potential
- Emission spectrum
electron spin and, 557–558
of fireworks, 536–537
of hydrogen, 531–532, 533, 535
- Empirical formula, 66–67, 69
- en (ethylenediamine), 954
- Enantiomers, 960, 962
- Endothermic process, 363, 364
enthalpy change in, 367–368
entropy change, 432, 433
equilibrium constant for, 227, 453
equilibrium positions of, 227–228
vaporization as, 822
- Endpoint of indicator, 120, 320–325
in oxidation–reduction, 135–136
See also Equivalence point
- Energy, 361–367
of activation, 749–753
chemical, 362–367
conservation of, 361, 363, 364, 413
constant-volume calorimetry and, 379–381
defined, 361
of electromagnetic radiation, 525–526
equivalence to mass, 529, 990–991, 1002–1005, 1009
as form of matter, 531
internal, 364–367, 379–381
minimized in bonding, 597–598, 666, 673–674, 679
quantization of, 527–529, 532, 535, 540, 545, 547
as state function, 362, 374, 426
transfer of, 361–362
useful, 413
See also Bond energy; Free energy; Heat; Ionization energies; Kinetic energy; Potential energy
- Energy crisis, 457
- Energy levels
hybridization and, 665, 666, 667, 669
of hydrogen atom, 532, 534–535, 550, 557
of molecular orbitals, 677–678
molecular spectroscopy and, 692–695, 697, 700
of particle in a box, 546–549
of polyelectronic atoms, 570–571
- Energy sources
hydrogen as, 380–381, 396, 397–400
new, 394–401
present, 389–393
solar ponds, 854
See also Batteries; Fossil fuels
- English system, 9, A14
- Enthalpy, 367–368
calorimetry and, 374–379
entropy change and, 434
heat at constant pressure and, 367, 455
of ideal gas, 370–374, 445
as state function, 367, 374
- Enthalpy of formation, 384–389
bond energies and, 620
defined, 384
of elements, 386–387
table of values, 385, A19–A21
- Enthalpy of fusion, 826
compared to heat of vaporization, 782
entropy change and, 430
- Enthalpy of hydration, 855
of halide ions, 924–925
- Enthalpy of reaction, 368
bond energies and, 619–621
calorimetry and, 374–379
from enthalpies of formation, 385–389
as extensive property, 382
from Hess's law, 381–384
key concepts, 386
- Enthalpy of solution, 853–856
Raoult's law and, 866–868
temperature and, 860
- Enthalpy of vaporization, 822, 825
compared to heat of fusion, 782
entropy change at, 430–431
- Entropy
absolute, 439–440
changes of state and, 429–431, 432, 439
in chemical reactions, 437–440
defined, 415, 426–429
disorder and, 416, 438, 439
in electrochemical process, 484
of ideal gas, 426–429, 445
molecular structure and, 440
as organizing force, 428
pressure dependence of, 445
probability and, 416–419, 426–429, 432, 438–439, 445
second law and, 428, 431, 457
spontaneity and, 415–419, 431–435, 484
standard values, 439–440, A19–A21
as state function, 440
temperature dependence of,

- 429–430, 439
- Entropy of hydration, 855–858
of halide ions, 924–925
- Entropy of solution, 418–419, 855–858
- Entropy of vaporization, 430–431, 432, 824, 825
- Enzymes, 753, 758–759, 761
in fermentation, 1035
in polysaccharide digestion, 1060
See also Proteins
- Ephedrine, 259
- Equation of state, 154
- Equations, chemical, 69–71
balancing, 70–73
for oxidation–reduction, 128–135
for reactions in solution, 111–114
- Equations, radioactive decay, 988–989
- Equatorial hybrid orbitals, 671
- Equilibrium, chemical
characteristics of, 204–207
defined, 204
of electrochemical cell, 488, 490
entropy and, 432, 436
free energy and, 436, 445, 447–448
heterogeneous, 213–214
homogeneous, 213
law of mass action, 207–210, 213, 215
Le Châtelier's principle and, 222–228
of real gases, 228–229
- Equilibrium constant (K), 207–210
applications of, 214–217
electrochemical measurement of, 490, 491–492
extent of reaction and, 214
free energy change and, 449–453
reaction quotient and, 215–216, 217, 218, 223, 450
for redox reactions, 490
small, 220–222
for sum of stepwise reactions, 344–345
temperature dependence of, 226–228, 452–453
in terms of pressures, 210–213, 214, 228–229
units of, 209, 212–213
See also Acid dissociation constant (K_a); Solubility product (K_{sp})
- Equilibrium expression, 207–208, 209
involving pressures, 210–212, 213–214
involving pure solids or liquids, 213–214, 329–330
- Equilibrium partial pressures, 210–212
- Equilibrium position
concentration and, 222–224
defined, 210
free energy and, 448–450
pressure and, 224–226
solubility and, 329–331
summary, 227–228
- temperature and, 226–227
volume and, 224–226
- Equilibrium problems, 214–222
finding concentrations or pressures, 216–217
reaction quotients in, 215–216, 217, 218, 223
with small equilibrium constants, 220–222
summary of procedure, 218
See also Acid–base equilibria problems
- Equilibrium vapor pressure, 823
See also Vapor pressure
- Equivalence point, 119–120, 309, 317
indicator endpoint and, 120, 320–321, 323–325
methods for determining, 320–321
pH value at, 309, 314–315, 316–317
for polyprotic acid, 325–326, 328
- Error limit, A9, A10, A12
- Esters, 1038–1039
- Ethane, 1021, 1022
- Ethanol, 1035
as fuel, 401, 1035
as nonelectrolyte, 100
reactions of, 1039
solubility in water, 97
vapor pressure, 823, 824
- Ethene, 1029
- Ethylamine, 257, 258
- Ethylene, 1021, 1029
bonding in, 666–668, 1029
from cyclobutane, 721
ethanol synthesis from, 1035
hydrogenation of, 755
polymers based on, 1042–1044, 1045–1049
- Ethylenediamine (en), 954
- Ethylenediaminetetraacetate (EDTA), 954
- Ethylene glycol, 870–871, 1036, 1044
- Ethyl group, 1024
- Ethyne, 1029–1030
- eV (electron-volts), 572
- Evaporation. *See* Vaporization
- Exact numbers, A13
- Excited states
of hydrogen atom, 531, 534–535, 557
of molecules, 695, 696
of nuclei, 991
- Excluded-volume force, 428
- Exclusion principle, 556, 563
- Exothermic process, 363
enthalpy change in, 367–368
entropy change, 432, 433, 434, 436
equilibrium constant for, 227, 452–453
free energy change, 436–437
- Expansion of a gas
isothermal, 419–423, 424–426
probability and, 416–418, 426–429
work associated with, 365, 366
See also PV work
- Expected bond energy, 601
- Experimental uncertainty, A7–A12
- Experiments, 8, 9
- Explosives
in fireworks, 538–539
nitrogen compounds, 10, 125, 207, 684–685, 809, 908–909, 910
plastic, detection of, 809
screening of luggage, 125
tagging of, 42–43
- Exponential notation, A1–A3
- Extensive property
enthalpy change as, 382
entropy as, 440
free energy as, 442
- Extinction coefficient, A17
- Extremophiles, 761
- Extremozymes, 761
- Face-centered cubic lattice, 790, 795, 796, 798–799
holes in, 820–821
- Families. *See* Groups of periodic table
- Faraday (unit of charge), 484
- Faraday, Michael, 484
- Fat-soluble vitamins, 859
- Feldspar, 811
- Femtochemistry, 721
- Fermentation, 401, 1035
- Ferric ion, 37
- Ferrochrome, 947
- Ferrous ion, 37
- Ferrovandium, 947
- Fertilizers
ammonia in, 909, 911
nitrogen in, 10, 909, 910
phosphorus in, 917, 922
- Fibrous proteins, 1049, 1052
- Fire extinguisher, 833
- Fire retardants, for PVC, 14
- Firewalking, 383
- Fireworks, 527–528, 538–539
- First ionization energy, 571–576
- First law of thermodynamics, 364, 365, 413
- First-order rate laws
for chemical reactions, 725, 729–733
for radioactive decay, 993, 995, 1000
- Fisher, Mel, 505
- Fission, nuclear, 990, 1004–1008, 1011
- 5% rule, 250–251
- Flame test, for alkali metal ions, 340–341
- Fluids, supercritical, 857
- Fluorapatite, 329
- Fluoride ion
hydration of, 924–925
tooth decay and, 329
- Fluorine, 35
atomic radius, 894–895
electron affinity, 577, 894
electron configuration, 564
ionization energy, 575–576
molecular structure, 623, 684, 894
oxidation state, 124, 126
oxygen compounds with, 925–926
physical properties, 923
preparation of, 923
- sources of, 923
uranium enrichment and, 172–174
- Fluorite structure, 821
- f* orbitals
of hydrogen atom, 553, 554, 556–557
of polyelectronic atoms, 566, 568, 570
of transition elements, 940, 941, 946
- Force
chemical bond and, 599, 615, 697–698
defined, 165
electromagnetic, 1009
entropic, 428
gravitational, 19, 1009
nuclear, 1008, 1009
pressure and, 150, 164, 166, 365–366
work done by, 362, 365–366
See also Intermolecular forces
- Formal charge, 631, 633–636
- Formation constants, 341
- Formula, 30–31
determination of, 64–69
for hydrated salt, 117
from name of compound, 42–44
- Formula weight, 61
- Forward bias, 812, 815
- Fossil fuels, 361, 390–391
air pollution and, 361, 760, 920
carbon dioxide and, 391, 392–393, 861
entropy and, 457
See also Coal; Petroleum
- Fractional (partial) charge, 96, 600, 603
See also Polar covalent bonds
- Francium, 35, 580
- Franklin, Benjamin, 16
- Frasch, Herman, 920
- Frasch process, 920
- Free energy, 435–437
chemical reactions and, 441–452
electrochemical, 485–487, 488, 490
equilibrium and, 436, 445, 447–448
of formation, 443–444, A19–A21
hydrogen halide dissociation and, 924–925
pressure dependence of, 445–448
solubility and, 855–856
standard, 441–445
as state function, 442
work and, 454–455
- Free expansion, of ideal gas, 420
- Free radicals
in polymerization, 1043–1044
radiation-induced, 1010
titanium dioxide and, 754
- Freezing point
of noble gases, 785
See also Ice; Melting point
- Freezing-point depression, 870–871
of electrolyte solutions, 875, 876

- Frenkel defects, 821–822
 Freons, 762, 1027
See also Chlorofluorocarbons (CFCs)
- Frequency
 of molecular vibration, 697–698
 of quantized radiation, 527–530
 of rotational transitions, 700
 of wave, 524–525
- Frequency factor, in rate constant, 751
- Frictional heating, 362
 in galvanic cell, 484
 in motor, 456
- Fructose, 1057, 1058
 Fry, Art, 11
 Fuel cells, 496, 497
 Full, Robert J., 786
 Fullerenes, 793, 802, 815–816, 835
 Functional groups, 1034
 Fusion, nuclear, 1004–1005, 1008
 in stars, 994, 1008
- Galileo, 10, 149
 Gallium, 565, 581, 902, 903
 Gallium arsenide lasers, 810
 Galvani, Luigi, 477
 Galvanic cells, 474–477
 batteries, 456, 488, 493–497
 compared to electrolytic cells, 502–503
 concentration cells, 490–492
 concentrations and, 486–492
 defined, 476
 equilibrium state of, 488, 490
 fuel cells, 497
 full description of, 481–483
 standard reduction potentials of, 477–483, A24
 thermodynamics of, 483–486
 work done by, 476, 483–485
- Galvanizing, 501, 952
 Gamma rays, 26, 991
 cellular damage by, 1010
 in radiation therapy, 1001
 in thermal neutron analysis, 125
- Gas centrifuges, uranium enrichment, 174
 Gas chromatography, 113
 Gas constant, 154, 167
 Gaseous diffusion, 170, 171–174
 Gases, 149–187
 Avogadro's law (hypothesis), 20, 21, 153
 Boyle's law, 150–152, 153, 155
 Charles's law, 152–153, 155
 in chemical equations, 69–70
 Dalton's law of partial pressures, 158–162
 diffusion of, 170, 171–174
 early experiments, 149–150
 effusion of, 170–171, 173
 equilibria involving, 210–213, 214, 224–226, 228–229
 kinetic molecular theory of, 162–170, 171, 174–175, 178–180
 mixing of, 170, 171–174
 mixtures of, 158–162
 molar concentration, 210
 molar mass, 158
 molar volume, 156–157
 PV work and, 365–369, 377–379, 425–426, 454, 455
 real, 152, 157, 176–182, 228–229
 separating with molecular sieve, 163
 solubility of, 859–860, 861–862
 standard state, 384
 standard temperature and pressure, 156, 157
 state of, 154
 stoichiometry of, 156–158
See also Atmosphere; Ideal gas; Le Châtelier's principle; Pressure
- Gasohol, 401, 1035
 Gasoline, 390–391
 air pollution and, 183
 hydrogen as by-product of, 898
 lead in, 390–391, 760, 906
 methanol compared to, 388–389
 methanol converted to, 397
 octane ratings, 74
 viscosity of, 787
- Gay-Lussac, Charles, 740
 Gay-Lussac, Joseph, 19–20, 21
 Geckos, 786
 Geiger-Müller counter, 998
 Gein, Andre, 804
 Gemstones, 970
 Gene, 1062
 General theory of relativity, 529
 Genetic radiation damage, 1010
 Geoengineering, 394
 Geometrical isomerism, 957, 960–962, 1029–1030
 Germanium, 560, 561, 892, 904, 906
 Geubelle, Philippe, 1048
 Gibbs, Josiah Willard, 435
 Glass
 carbon dioxide in form of, 808
 composition of, 806–807
 etching of, 925
 liquid meniscus in, 787
 photochromic, 927
 structure of, 790, 806–807
- Glass electrode, 489
 Global warming, 185, 361, 392–393, 394
 nitrous oxide and, 912–913
 sequestration of carbon dioxide and, 392
- Globular proteins, 1049–1050, 1054
 Glucose
 cyclization of, 1058, 1059
 fermentation of, 1035
 polymers of, 1059–1060
 radiolabeled, 1001
 in sucrose, 1058
- Glucos, 1009
 Glycerol, viscosity of, 787
 Glycogen, 1059, 1060
 Glycoside linkages, 1059–1060
 Gold
 acid solution of, 486
 corrosion and, 499
 electron configuration, 575
 nanoparticles of, 835
 oxidation and, 497, 499
 physical properties, 574
 relativistic effects in, 574–575
- Goodyear, Charles, 1042
 Gorelli, Federico, 808
 Goudsmit, Samuel, 557
 Grafting, of polymers, 1049
 Graham, Thomas, 171
 Graham's law of effusion, 171, 173
 Grains, crystalline, 834
 Granquist, Claes-Goran, 494
 Graphene, 804
 Graphing functions, A4–A5
 Graphite, 793, 802, 803–805
 diamonds made from, 443, 805, 830–831
 in pencils, 599
- Gravimetric analysis, 116–118
 Gravitons, 1009
 Gravity
 as fundamental force, 1009
 photons affected by, 529
 weight and, 19
- Gray (unit of radiation dose), 1010
 Gray tin, 904
 Greenhouse effect, 392–393, 861
 nitrous oxide and, 912–913
- Gresham, T. L., 13
 Gross, Leo, 22
 Ground state
 of hydrogen atom, 534, 535, 537, 557
 zero-point energy of, 548
- Group 1A elements. *See* Alkali metals; Hydrogen
 Group 2A elements. *See* Alkaline earth metals
 Group 3A elements, 902–903
See also Aluminum; Boron
 Group 4A elements, 904–906
See also Carbon; Lead; Silicon; Tin
 Group 5A elements, 906–907
See also Nitrogen; Phosphorus
 Group 6A elements, 918
See also Oxygen; Sulfur
 Group 7A elements. *See* Halogens
 Group 8A elements. *See* Noble gases
- Groups of periodic table, 35, 580, 892
 atomic radii in, 578–579, 893–895
 ionization energies in, 573–576
 metallic character in, 892
 valence electrons and, 564, 566
- Guericke, Otto von, 149
 Guldberg, Cato Maximilian, 207, 208
 Gypsum, 920
 acid rain and, 187
- Haber, Fritz, 207, 222, 755
 Haber process, 207, 754, 909
 biological nitrogen fixation and, 910
 catalysis in, 755, 909
 diagram of, 909
 equilibrium of, 207, 208–209, 222–223
 production of hydrogen for, 76, 898
- See also* Ammonia synthesis
 Hadrons, 1009
 Hafnium, 569, 946
 Half-cell potential. *See* Cell potential
 Half-life
 first-order reaction, 731–733
 name origin, 28
 radioactive sample, 995–996
 second-order reaction, 733, 735
 transuranium elements, 998
 zero-order reaction, 736
- Half-reaction method, 130–135
 Half-reactions, 130
 in galvanic cell, 474, 477–483
 Halide ions, hydration of, 924–925
 Hall, Charles Martin, 506
 Hall effect, 804
 Hall-Heroult process, 506, 507
 Halogenation
 of saturated hydrocarbons, 1027
 of unsaturated hydrocarbons, 1031
- Halogens (Group 7A), 35, 923–926
 electron affinities, 577
 oxyacids of, 925–926
 physical properties, 922, 923, 924
 preparation of, 923
 sources of, 923
See also Chlorine; Fluorine; Hydrochloric acid; Hydrofluoric acid
 Hamiltonian operator, 540, 543, 544
 Hard water, 256, 901–902
 Harmonic oscillator, 696–697
 Hassium, 36
 hcp (hexagonal closest packed) structure
 in ionic solids, 816
 in metals, 794, 795, 799
- HDPE (high-density polyethylene), 1045, 1046
 Heat
 adiabatic process and, 457
 calorimetry, 374–381
 conduction by metals, 794, 800, 801
 at constant pressure, 367, 371, 375, 455
 at constant volume, 371, 379
 in cyclic expansion-compression, 425–426
 defined, 362
 energy transfer and, 361, 362
 frictional, 362, 456, 484
 internal energy and, 364, 366–367
 pathway-dependence of, 426
 pollution by, 861
 sign convention for, 364–365
 vs. temperature, 362
 as wasted energy, 456, 484
See also Exothermic process; Temperature
 Heat capacity
 at constant pressure, 368–371
 at constant volume, 368–371
 defined, 374

- firewalking and, 383
of ideal gas, 368–374
molar, 368–371, 375
of polyatomic gas, 369
specific, 375
temperature dependence of, 439
- Heating curve, 826–827
- Heat of fusion, 826
compared to heat of vaporization, 782
entropy change and, 430
- Heat of hydration, 855
of halide ions, 924–925
- Heat of reaction. *See* Enthalpy of reaction
- Heat of solution, 853–856
Raoult's law and, 866, 867–868
temperature and, 860
- Heat of vaporization, 822, 824–826
compared to heat of fusion, 782
entropy change at, 431
- Heat packs, 400
- Heisenberg, Werner, 537, 540
- Heisenberg uncertainty principle, 540–542
wave function and, 552, 557
zero-point energy and, 548
- Helical structure
of DNA, 1062, 1063
of proteins, 1052, 1053–1054
- Helium, 35, 926, 928
electron configuration, 562
Lewis structure, 623
molecular orbital model, 679
from nuclear fusion, 1008
quantum mechanical model of, 558–560, 569
- Helium ion, 558–559, 679–680
- Helium nuclei
fusion in stars, 994
from radioactive decay, 990
See also Alpha (α) particles
- Helmoltz, Jan Baptista van, 149
- Heme complex, 974–976
- Hemoglobin, 976–977
nitric oxide and, 689
- Henderson–Hasselbalch equation, 299
indicator color change and, 322–323
- Henry, William, 860
- Henry's law, 860
Lake Nyos tragedy and, 863
- Heroult, Paul, 506
- Hertz (Hz), 525
- Hess's law, 381–384
- Heterogeneous catalysis, 754, 755, 757, 760
- Heterogeneous equilibria, 213–214
- Heteronuclear diatomic molecules, 686–688
rotational spectra, 700–701
- Hetrick, John W., 160
- Heuer, Arthur, 792
- Hexadentate ligand, 954
- Hexagonal closest packed (hcp) structure
in ionic solids, 816
in metals, 794, 795, 799
- Hexoses, 1055, 1057
- High altitude. *See* Altitude
- High-altitude sickness, 977
- high-density polyethylene (HDPE), 1045, 1046
- High-spin case, 966, 969, 973
- Hill, Julian, 1041
- Ho, Wilson, 744
- Hodgkin, Dorothy, 63
- Holes
in closest packing, 816–821
of semiconductor, 811, 814
on surface of copper, 797
- Homogeneous catalysis, 754, 758–759, 760, 762
- Homogeneous equilibria, 213
- Homogeneous mixtures. *See* Solutions
- Homonuclear diatomic molecules, 680–686
- Homopolymer, 1044
- Honeybees, 364
- Hong, Byung Hee, 804
- Hund, F. H., 563
- Hund's rule, 563
- Hybridization, 665
- Hybrid orbitals, 664–676
in complex ions, 963–964
 d^2sp^3 , 672–673
 dsp^3 , 670–672
 sp , 668–670
 sp^2 , 666–668, 669
 sp^3 , 664–666, 671–672, 691
summary, 674
- Hydrated salt, formula for, 117
- Hydration, 96
acidity of hydrated ion, 271, 272
of alkali metal ions, 582
enthalpy of, 855
entropy of, 856–858
of halide ions, 924–925
of proton, 241, 242, 245
- Hydraulic fracturing, 391
- Hydrazine, 911
- Hydride ion, 899
- Hydrides, 899–900
boiling points of, 783, 784
of boron, 902–903
of Group 6A elements, 918
metallic, 399–400, 899–900
- hydro- (prefix), 44
- Hydrocarbon derivatives, 1033–1040
alcohols, 1034–1037
aldehydes, 1037–1038
amines, 259, 1039–1040
carboxylic acids, 1038–1039
esters, 1038–1039
ketones, 1037–1038
- Hydrocarbons
aromatic, 1031–1033
in petroleum, 390
saturated, 1020–1028
unsaturated, 755, 1020–1021, 1029–1033
- Hydrochloric acid, 98, 99, 241, 243, 924
in aqua regia, 345, 486, 948
pH calculations, 248–249
reaction with sodium hydroxide, 118
See also Hydrogen chloride
- Hydrofluoric acid, 924–925
equilibria with, 249–250
See also Hydrogen fluoride
- Hydrogen
chemical properties, 898–900
commercial preparation of, 896, 898
as diatomic ion, 680
as diatomic molecule, bonding in, 597–599, 623, 676–679
as fuel, 380, 396, 397–400, 497, 900
in interstitial hydrides, 899–900
isotopes, 56, 1008
nonmetallic character of, 35, 580, 892, 893, 899
nuclear magnetic resonance with, 701–706
oxidation state of, 126
physical properties, 898
as real gas, 181, 182
in stars, 994, 1008
- Hydrogenation reactions, 755–756, 1031
- Hydrogen atom
Bohr model, 533–535, 537, 540, 550, 553
electron configuration, 562
emission spectrum, 531–532, 533, 535
energy levels, 532, 534–535, 550, 557
orbitals, 540, 543, 551–557, 569
particle in a box and, 543
quantum numbers, 549–551, 553–554, 569
summary, 557
uncertainty principle and, 541–542, 552, 557
wave equation, 543, 549–551
- Hydrogen bonding, 783–784
in alcohols, 1035
in ammonia, 911
in hydrazine, 911
in hydrogen fluoride, 924
in nonideal solutions, 866, 867
in nucleic acids, 1062, 1063
in nylon, 1041
in proteins, 1052, 1053, 1054
viscosity and, 787
in water, 783–784, 816, 822, 823–824, 825, 826, 899
- Hydrogen chloride, 923–925
dipole moment, 605
dissolved in water, 241, 860
infrared spectrum of, 698
microwave spectrum of, 700–701
reaction with ammonia, 171–172, 242
See also Hydrochloric acid
- Hydrogen–chlorine cannon, 923
- Hydrogen electrode, standard, 478
- Hydrogen fluoride, 923–926
bond polarity, 600, 602–603, 688
enthalpy of formation, 619–620
molecular orbital model, 687–688
- Hydrogen halides, 923–925
See also Hydrogen chloride; Hydrogen fluoride
- Hydrogen ions
Arrhenius acid concept and, 98–99, 118, 241
hydrated, 241, 242, 245
of paper, 4–6
from water, 244–245, 248–249, 275–280, 301–304
See also Acids
- Hydrogen sulfide
dipole moment, 606
solubility equilibria and, 338, 340, 345
- Hydrogen sulfites, 922
- Hydrohalic acids., 244, 924–925
- Hydronium ion, 241–242, 245
- Hydrophilic side chains, 1050
- Hydrophilic substances, 859
- Hydrophobic side chains, 1050
- Hydrophobic substances, 859
- Hydroxide ions
from autoionization of water, 245–246, 256–257
from base reacting with water, 99–100, 257, 269
reaction with weak acid, 118, 122–123
from strong base, 99, 118, 255
titration with, 120
- Hydroxides
of alkali metals, 255, 256–257
of alkaline earth metals, 255–256
solubility in water, 109
- Hydroxyapatite, 329
- Hydroxyl group, 1034
characteristic vibration, 698
- Hydroxyl radical, 754, 1043–1044
- Hyperconjugation, 631, 632
- Hypertonic solutions, 873
- Hypervitaminosis, 859
- hypo- (prefix), 39
- Hypochlorite ion, 926
- Hypochlorous acid, 244, 926
- Hypofluorous acid, 925, 926
- Hypophosphorous acid, 917
- Hypotheses, 3, 8, 9
- Hypotonic solution, 873
- Hz (Hertz), 525
- ic (suffix), 37, 44
- Ice
biological effects of, 878
density, 832, 899
melting, 435–436, 782, 826, 829, 832
structure of, 815, 816, 899
sublimation, 830, 833
vapor pressure, 827
- Ice skating, 832
- ICE table, 217
- Ideal gas
adiabatic expansion–compression, 457–460
defined, 151
enthalpy of, 370–374, 445
entropy of, 426–429, 445
expansion into vacuum, 416–418
free energy of, 445–447
free energy of combustion, 445–448
free expansion of, 420
heat capacity, 368–374

- internal energy of, 369–374
 isothermal expansion and compression, 419–426
 kinetic energy of, 163–164, 167, 368, 369
 kinetic molecular theory of, 162–170, 174–175
 molar mass, 158
 molar volume, 156–157
 partial pressures, 158–162
- Ideal gas law, 153–156
 derivation of, 164–167
- Ideal solutions, 866
- Idziaczek, Zbigniew, 740
- Ilmenite, 947
- Independent variable, A4
- Indicators, acid–base, 119–120, 320–325
 chart of pH ranges, 324
- Indium, 562, 902, 903
- Industrial chemistry, 10–14
- Inert atmosphere box, 907, 908
- Inert gases
 nitrogen as, 907, 909
 noble gases and, 643
See also Noble gases
- Infrared radiation, 525
 climate and, 392
 vibrational spectroscopy and, 693, 697–699
- Initial rates, method of, 726–728, 738
- Insects
 cockroach identification, 113
 plant cooperation with, 1021
 plant defenses against, 646
 semiochemicals and, 646–647
- "Insoluble," 110
- Instantaneous rate, 720
- Insulators, electrical, 803
- Integrated circuits, 812–813
- Integrated rate law, 724, 729–738
 first-order, 729–733, 993, 995, 1000
 with multiple reactants, 736–737
 for radioactive decay, 993, 995, 1000
 second-order, 727, 733–735, 739
 summary, 737–738
 zero-order, 735–736
- Intensive property, 480–481
- Intercept, A4
- Interference of waves, 530, 791
- Intermediate, 739, 743
 femtosecond studies of, 721
 scanning tunneling microscope studies of, 744
 in steady-state approximation, 746–748
- Intermolecular collisions, 176–178
- Intermolecular forces, 783–785
 dipole–dipole, 783–784
 in liquids, 785–789
 in molecular solids, 815–816
 in real gases, 176–178, 181–182
 vapor pressure and, 823–824
See also Hydrogen bonding;
 London dispersion forces
- Internal energy, 364–367
 constant-volume calorimetry and, 379–381
- enthalpy and, 367
 of ideal gas, 369–374
 as state function, 374
- Interstitial alloys, 801–802
 of titanium, 948
- Interstitial hydrides, 899
- Iodine, 35, 923, 924, 925
 electron configuration, 577
 oxidation state, 126
 sublimation, 825
- Iodine-131, 990, 1001
- Ion(s), 31–33
 electrolysis of mixtures of, 504, 506
 in electrolytes, 97–100
 energy of interaction of, 597
 independence in solution, 96, 106
 naming of, 36–39
 oxidation states of, 126
 polyatomic, 32, 39, 614
 separating mixtures of, 112–114, 337–341, 345–346
 sizes of, 608–609
 spectator, 111–112
See also Complex ions;
 Hydration
- Ion-exchange resin, 901–902
- Ionic bonding, 31–33, 597, 600
 electronegativity and, 601–602
 hyperconjugation and, 632
 partial ionic character, 613–614
 in proteins, 1054
- Ionic compounds, 31, 32–33, 597
 crystal structures, 793, 794, 816–821
 defined, 614
 electron configurations in, 606–608
 formation of, 609–613
 gas phase of, 606, 614
 hydrides, 899
 Ksp values, 330
 lattice defects, 821–822
 lattice energy, 610–613
 Lewis structures, 622
 molar mass for, 60–61
 names of, 36–39, 40, 41, 42–44
 polar solvents for, 853, 856
 predicting formulas of, 606–608
 solubility in water, 96, 329, 856–858
 X-ray diffraction by, 530
See also Salts; Solubility
- Ionic equation
 complete, 111–112
 net, 111–112
- Ionic hydrides, 899
- Ionic liquids, 861
- Ionic radii, 608–609
- Ionic solids. *See* Ionic compounds; Salts
- Ion interchange, 110
- Ionization energies, 571–576
 of alkali metals, 573–574, 580, 581
 electronegativity and, 602
 of metals vs. nonmetals, 579
 of transition metals, 944
- Ionization potential, 572
- Ion pairing, 334, 876
- Ion product, 335–336
- Ion-product constant (K_w), 246
 relation to K_a and K_b , 269–270
 weak acid solutions and, 275–280
- Ion-selective electrodes, 489–490
- Iridium, 946, 1001
- Iron, 943, 950
 abundance, 895
 in biological systems, 974–977
 corrosion, 451–452, 497, 499–502, 950
 electron configuration, 566
 formed in stars, 994
 in heat packs, 400
 ores of, 136
 protective oxide coating on, 498
- Iron oxide
 in Haber process catalyst, 909
 protective coating of, 498
 as rust, 500, 950
- Irreversible processes, 425–426, 455–457
See also Spontaneous processes
- Isobutane, 1023
- Isoelectronic ions, sizes of, 608–609
- Isomer, defined, 956
- Isomerism
 in alkanes, 1023–1026
 in alkenes, 1029
cis-trans, 957, 960–962, 1029
 in complex ions, 956–963
 coordination, 956–957, 958
 geometrical, 957, 960–962, 1028–1030
 linkage, 956–957
 optical, 957–963, 1057–1058
 of pharmaceuticals, 962–963
 stereoisomerism, 957–963, 1029, 1057–1058
 structural, 956–957, 1022–1026
- Isotactic chain, 1047
- Isothermal process
 defined, 419
 expansion and compression, 419–429, 460
- Isotonic solutions, 873, 874
- Isotopes, 29–30
 atomic masses and, 54–57
 for labeling explosives, 42–43
 mass spectrometry of, 54–55, 56–67
 separation of, 173–174
- ite (suffix), 39, 44
- Joliot, Frederick, 996
- Jorgensen, Sophus Mads, 958
- Joule
 conversion from L atm, 168, 366
 defined, 168
 of electrical work, 476, 483
- Juglone, 646
- Juhl, Daniel, 396
- Julienne, Paul, 740
- Jumper cables, 493
- Junction potential, 814
- Junction transistor, 812
- K. See* Equilibrium constant (K)
- K_a . *See* Acid dissociation constant (K_a)
- K_b , 257–258
 relation to K_a , 269–270, 272
 salt solutions and, 269–270, 271, 272
 table of values, A23
- K_{sp} . *See* Solubility product (K_{sp})
- K_w (ion-product constant), 246
 relation to K_a and K_b , 269–270
 relation to K_a and K_b , 269–270
 weak acid solutions and, 275–280
- Kairomones, 646–647
- Kaolinite, 811
- Keith, David, 394
- Kekulé, F. August, 21
- Kelvin temperature
 conversion from Celsius, 152
 kinetic energy of gas particles and, 163, 167–168, 368, 369
See also Temperature
- Kenny, Jonathan, 692
- Kerogen, 400
- Kerosene, 390
- Ketones, 1037–1038
- Kidney, artificial, 873
- Kinetic energy
 of electrons in hydrogen molecule, 598
 Hamiltonian operator for, 543, 544
 heat and, 362, 363
 of ideal gas, 163–164, 167, 368, 369
 internal energy and, 364
 of particle in a box, 544
 potential energy and, 361–362, 413
 of reacting molecules, 749
 temperature and, 163, 167–168, 368, 369, 824–825
- Kinetic molecular theory of gases, 162–170
 collision rate and, 174–175
 effusion and, 170–171
 ideal gas law and, 164–167
 postulates of, 163
 real gases and, 176, 178–180
 temperature and, 163, 167–170
 velocity distribution and, 169–170
- Kinetics, chemical
 definition of reaction rate, 720, 723
 determining form of rate law, 725–728
 differential rate laws, 724–728, 737–738
 equilibrium and, 214
 first-order, 725, 729–733, 993, 995, 1000
 half-life, 731–733, 735, 736
 instantaneous rate law, 720
 integrated rate laws, 724, 729–738
 introduction to rate laws, 722–724
 introduction to reaction rates, 718–722
 mechanisms and, 718, 721, 739–748
 model for, 749–753

- with multiple reactants, 736–737, 738
 noninteger order, 745
 pseudo-first-order, 737
 rate-determining step, 741–742, 745
 second-order, 727, 733–735, 739
 spontaneity and, 718
 summary, 737–738
 temperature dependence of, 749–753
 vs. thermodynamics, 413–415
 zero-order, 735–736
- Kinetics of radioactive decay, 992–993, 995–996, 1000
 Kinetic stability, 443, 830, 831
 of nucleus, 988
 Koopmans' theorem, 572
 Krypton, 35, 565, 928, 929
 Kuznicki, Steven, 163
- Lackner, Klaus, 394
 Lactic acid, 254–255
 Lake Nyos tragedy, 863
 Lanthanide contraction, 946
 Lanthanide series, 565–566, 568, 892, 940, 941
 atomic radii, 945–946
 Lanthanum, 941
 Laser cooling, 740
 Lasers
 in atomic clock, 536
 in electronic spectroscopy, 695–696
 in femtochemistry, 721
 gallium arsenide, 810
 nuclear fusion and, 1008
 in protein mass determination, 60
 in proton radius determination, 550
 in X-ray spectroscopy, 741
 Lattice, 789–790
 Lattice defects, 821–822
 Lattice energy, 610–613
 Lauterbur, Paul, 706
 Lavoisier, Antoine, 10, 17, 506, 524, 538
 Law of conservation of energy, 361, 363, 364, 413
 Law of conservation of mass, 8, 17
 Law of definite proportion, 18
 Law of mass action, 207–210, 213, 215
 Law of multiple proportions, 18–19
 Law of partial pressures, 158–162
 Laws of nature, 8, 162
 LDPE (low-density polyethylene), 1045
 Lead, 904, 905–906
 age of rocks and, 1000
 colorimetric test for, 339
 in gasoline, 390–391, 760, 906
 in stabilizers for PVC, 13
 Leading zeros, A12
 Lead poisoning, 905–906, 954
 Lead storage battery, 493–494, 906
 Le Châtelier, Henri, 222
 Le Châtelier's principle, 222–228
 concentration and, 222–224
 for electrochemical cell, 486–487, 488
 energy and, 227
 pressure and, 224–226
 summary, 228
 temperature and, 226–227
 volume and, 224–226
 Leclanché, George, 494
 LE model. *See* Localized electron (LE) model
 Lenton, Timothy, 394
 Leptons, 1009
 Leucippus, 524
 Levorotatory isomer, 960
 Lewis, G. N., 616, 622, 953
 Lewis acid–base concept, 953
 complex ions and, 942, 952, 953, 963
 Group 5A elements and, 907
 Lewis structures, 622–624
 of electron-deficient compounds, 627–628, 629
 with extra electrons, 628–631, 632, 634–635
 formal charge and, 631, 633–636
 hyperconjugation and, 631, 632
 with odd number of electrons, 631
 resonance and, 626–627, 632, 634–636
 summary, 623, 629
 validity of, 636
 VSEPR model and, 639
 Libby, Willard, 999
 Ligand field model, 973
 Ligands, 952–954
 defined, 341, 942, 953
d-orbital splitting and, 965–969, 972–973
 equilibria involving, 341–345
 nomenclature, 954–956
See also Complex ions
- Light
 continuous spectrum of, 531–532
 diffraction of, 530
 dual nature of, 529–530
 electronic spectroscopy and, 692–696
 photocatalysis and, 754
 photoelectric effect, 528–529
 polarized, 957, 959–962
 scattering by particles, 877
 speed of, 524–525
See also Colors;
 Electromagnetic radiation
- Lightning, nitrogen oxides and, 909
 "Like dissolves like," 97, 853, 856, 858
 Lime. *See* Calcium oxide (lime)
 Lime–soda process, 256
 Limestone
 cave formation in, 292, 335
 for scrubbing, 186
See also Calcium carbonate
- Limiting reactant, 76–82
 Lin, Liwei, 836
 Linear accelerator, 997
 Linear complex ions, 953, 963, 964, 969, 971
 Linear equations, A4
 Linear low-density polyethylene, 1045
- Linear molecules
 hybrid orbitals for, 669, 674
 with polar bonds, 604, 605
 rotational states, 699–701
 VSEPR model, 637, 641, 642, 645
- Line spectrum, 532, 535–536
 Linkage isomerism, 956–957
 Liquefaction of air, 896, 919
 Liquid–liquid solutions, 866–868
 Liquids, 782, 785–789
 activity of, 213–214
 in chemical equations, 70
 ionic, 861
 standard state, 384
 vapor pressure of, 822–828
See also Solutions
- Liter (L), A15
 Lithium, 35, 580–583, 897
 atomic radius, 893
 electron configuration, 562–563
 ionization energy, 574
 molecular orbital model, 680–681
 for mood disorders, 582
 reaction with water, 582–583, 897, 899
See also Alkali metals
- Lithium fluoride
 crystal structure, 611, 612
 lattice energy, 610–611
 Lithium-ion batteries, 496–497
 Livesag, Richard, 42
 Lobes, of orbitals, 554–555, 556
 Localized electron (LE) model, 621
 combined with molecular orbitals, 688–690
 of complex ions, 963–964
 exceptions to octet rule and, 627, 631
 hybrid orbitals and, 664–676
 limitations of, 676, 688
 resonance and, 627
 summary, 673–674
- Logarithms, A3–A4
 of exponential equation, A5
 significant figures for, 247
- London dispersion forces, 784–785
 in ethane, 1035
 gecko adhesion and, 786
 in molecular solids, 816
 in proteins, 1054
 vapor pressure and, 823
- Lone pairs, 621
 in Lewis structures, 623, 633, 635
 of ligands, 953
 in VSEPR model, 639, 640, 650
- Longbottom, Chris, 475
 Lowry, Thomas M., 118, 241
 Low-spin case, 966, 973
 Lysis, 873
- Magic numbers, 990
 Magnesium, 35, 900–902
 band model of crystal, 800
 in chlorophyll, 974
 electron configuration, 564
 ionization energy, 576
- Magnesium hydroxide, 256, 334–335
 Magnesium oxide
 lattice energy, 612
 paper decomposition and, 6, 7
 Magnetic field
 of electromagnetic radiation, 524
 nuclear spin and, 701–703
 Magnetic quantum number, 550, 551, 553–554
 Magnetic resonance imaging (MRI), 706
 Magnetism. *See* Diamagnetism; Paramagnetism
 Magnetite, 127
 Magnetorheological (MR) fluid, 788
 Magnets, 941
 Maillard, Louis-Camille, 1056
 Maillard reaction, 1056
 Main-group elements. *See* Representative elements
 Major species, 248, 249, 281
 Malleability of metals, 34, 794, 800
 steels, 801–802
 Manganese, 565, 944, 949–950
 Manganese nodules, 949
 Manometer, 149–150
 Mansfield, Peter, 706
 Marble, 186–187
 Mars Climate Orbiter, 9
 Masel, Richard, 496
 Mass
 atomic, 19–24, 54–57
 conservation of, 8, 17
 of electron, 24, 25, 29
 equivalence to energy, 529, 990–991, 1002–1005, 1009
 of reactants and products, 73–82
 reduced, 697, 700
 relativistic increase in, 574
 vs. weight, 19
See also Molar mass
- Mass action, law of, 207–210, 213, 215
 Mass defect, 1002, 1004
 Mass number, 30, 988, 989, 990
 Mass percent, 62–64
 chemical formula and, 64–69
 in solution, 852
 Mass spectrometer, 54, 55, 56
 for molar mass determination, 60
 for radiocarbon dating, 1000
 Material balance equation, 276
 Matrix-assisted laser desorption, 60
 Maxwell, James C., 169
 Maxwell–Boltzmann distribution law, 169, 176
 Mean, A9
 Mean free path, 169, 177–178
 Measurements, 8
 uncertainties in, A7–A12
 units of, A14–A16
 Measuring pipet, 105
 Mechanisms. *See* Reaction mechanisms
 Median, A9–A10
 Medicine
 artificial kidney in, 873

- magnetic resonance imaging
in, 706
nanotechnology in, 835, 837
radioactivity in, 1001
See also Cancer
- Melting point, 826, 827
of alkali metals, 580–581
enthalpy change at, 430, 782, 826
entropy change at, 430
free energy change at, 435–436
freezing-point depression, 870–871
of noble gases, 785
normal, 828, 829
pressure dependence of, 832–833
relativistic effects on, 574–575
vapor pressure at, 827–828
- Mendeleev, Dmitri Ivanovich, 26, 36, 560, 561, 564
- Meniscus, 787
- Mercury
convex meniscus of, 787
electron configuration, 575
melting point, 574, 575
pressure measurements and, 149–150
relativistic effects on, 574–575
in superconductors, 806, 807
- Mercury barometer, 149, 823
- Mercury cell
for calculator, 495
for electrolysis of brine, 509–510
- Mescaline, 259
- Messenger RNA, 1063, 1064
- Metallic hydrides, 399–400, 899–900
- Metalloids, 580, 892
- Metallurgy, 16, 896
- Metals, 34, 579–580, 892
bonding in, 800–801
corrosion of, 451–452, 497–502, 505, 508
crystal structure, 794–800
electrorefining of, 507–508
hydrides of, 399–400, 899–900
ionic compounds with nonmetals, 606–608
names of, 37–38
noble, 497, 499, 506, 508, 942
ores of, 506, 896
photoelectric effect with, 526–527
physical properties, 34, 794, 800
plating of, 500–501, 501, 503, 504, 508
reactions with nonmetals, 581
surface motions in, 797
See also Alkali metals; Alkaline earth metals; Alloys; Transition metals
- meta-* substituents, 1032
- Methane
bond energy, 618
bond polarities, 605–606
chlorination of, 1027
from coal conversion, 395
combustion of, 123, 127–128, 362–363, 380–381, 385–386, 413, 497
for fuel cells, 497
as greenhouse gas, 392
in hydrogen preparation, 896, 898
molar mass of, 59–60
in natural gas, 163, 390
reaction with water, 76
as real gas, 181–182
 sp^3 orbitals for, 664–666, 691, 1021
stability of bonding in, 615, 617
VSEPR model, 638, 640
- Methanol, 1035
enthalpy of combustion, 388–389
free energy of combustion, 444
fuel cells powered by, 496, 497
molecular structure, 649–650
oxidation states in combustion, 128–129
state-of-the-art detection of, 125
from syngas, 397
uses of, 397, 1035
- Method of initial rates, 726–728, 738
- Methylamine, 257, 258, 260
- Methyl chloride, bonding in, 615–616
- Methylene group, 1022
- Methyl group, 1024
- Methyl red, 325
- Metric system, 9, A14
- MeV (million electron-volts), 1003
- Meyer, Julius Lothar, 560
- Microstates, 417–418, 426–427
- Microwave radiation, 525–526
in atomic clock, 536
cooking with, 525–526, 693
rotational spectroscopy and, 693, 700–701
- Milk of magnesia, 335
- Millikan, Robert, 25
- Milliliter (mL), A15
- Millimeters of mercury, 149–150
- Millimole (mmol), 308
- Mineral acids, 98
- Minor species, 248
- Minton, Allen, 428
- Mirror images,
nonsuperimposable, 959–962, 1057
- Mixtures. *See* Solutions; Suspensions
- mm Hg, 149–150
- Models, 8, 9, 617–618
chemical bond, 615–618
of gases, 162–170
hybrid orbitals, 666, 669–670
of ions, 32, 34
for kinetics, 163–170, 749–753
of molecules, 31
orbitals, 691–692
- Moderator, of nuclear reactor, 1007
- Molal boiling-point elevation constant, 869
- Molal freezing-point depression constant, 870–871
- Molality, 852
- Molar absorptivity, A16–A17
- Molar concentration of gas, 210
- Molar heat capacity
defined, 368, 375
of ideal gas, 368–371
PV work and, 365–366
- Molarity, 101–102, 852
in millimoles per mL, 308
temperature dependence of, 852
- Molar mass, 59–61
from boiling-point elevation, 869
from density of gas, 158
from freezing-point depression, 871
molecular formula from, 66–67
from osmotic pressure, 871–873
of polymers, 1045–1047
of proteins, 60, 872–873
from vapor pressure, 865–866
- Molar volume of gas, 156–157
- Mole (mol), 57–59
- Molecular equation, 111–112
- Molecular formula, 66–67, 69
- Molecularity, 739
- Molecular orbitals (MOs), 676–680
combined with localized electron model, 688–690
of complex ions, 971–973
of diamond, 803
of graphite, 803–804
heteronuclear diatomic, 686–688
homonuclear diatomic, 680–686
of hydrogen, 676–679
of metals, 800–801
of nitric oxide, 913
paramagnetism and, 683–686
resonance and, 688–690
of silicon, 811, 814
- Molecular orientations, in collision, 751
- Molecular sieves, 125, 163
- Molecular solids, 793, 815–816
- Molecular spectroscopy. *See* Spectroscopy, molecular
- Molecular structure. *See* VSEPR model
- Molecular weight, 60
of polymer, 1046–1047
- Molecules, 30–31, 740
- Mole fraction
defined, 159
partial pressure and, 159
in solution, 852
- Mole ratio, 73
limiting reactant and, 78–80
- Molybdenum, 946
- Moment of inertia, 700, 701
- Momentum
of gas particles, 165
of photon, 529
uncertainty principle and, 540–542
wavelength and, 530
- Monoclinic sulfur, 921
- Monodentate ligands, 953
- Monomers, 1040, 1047
- Monoprotic acids, K_a values of, 243–245, A22
- Monosaccharides, 1055–1059
in nucleic acids, 1061
- Moore, Jeffrey, 1048
- Morse potential, 697
- MR (magnetorheological) fluid, 788
- MRI (magnetic resonance imaging), 706
- Multiple bonds. *See* Double bonds; Triple bonds
- Multiple proportions, law of, 18–19
- Multiplication
in exponential notation, A1–A2
significant figures, A13
- Mulvihill, Gene, 705
- Muon, 550
- Myoglobin, 974–975, 1053–1054
- Names of compounds, 35–44
acids, 44
coordination compounds, 954–956
covalent compounds, 39–40, 41
flowcharts for, 38, 40, 41, 44
formulas from, 42–44
ionic compounds, 36–39, 40, 42–44
- Nanocrystalline materials, 834
- Nanogenerators, 836
- Nanotechnology, 22, 835–837
defined, 835
safety concerns with, 837
surface motions and, 797
ultrasound and, 181
- Nanotubes, carbon, 835–836, 837
- Naphthalene, 1033
- Natta, Giulio, 1045
- Natural gas, 390, 391
hydrogen derived from, 397, 896
separating nitrogen from, 163
treatment with ionic liquid, 861
- Natural law, 8, 162
- Natural logarithms, A–5, A4
- Neodymium, 941
- Neon, 35, 56, 928
electron configuration, 564
freezing point, 785
ionization energy, 573, 576
Lewis structures, 623
molecular orbital theory and, 686
- Nernst, Walter Hermann von, 487
- Nernst equation
for concentration cell, 487–488
equilibrium constant from, 490
- Net ionic equation, 111–112
- Network solids, 802
carbon as, 802–805
phosphorus as, 916
silicon as, 805–807
- Neutralization reaction, 119
- Neutral solutions
defined, 246
of salts, 268, 272–273
- Neutrons, 29–30, 988
in atomic structure, 29
bombardment with, 996–998, 1005
fission and, 1005–1006, 1007, 1008
nuclear stability and, 989–990, 991

- quark structure of, 1009
in stellar nucleosynthesis, 994
in thermal neutron analysis, 125
- Newlands, John, 560
- Newton, Isaac, 524
- Nickel, 565, 943, 950–951
- Nickel–cadmium battery, 495
- Nicotine, 646
- Niobium, 946
- Nitrate ion
ball-and-stick model, 32, 34
Lewis structures, 627, 688
molecular orbital model, 690
VSEPR model, 645–647
- Nitrates
in soil, 909–910
solubility in water, 109
- Nitric acid, 98–99, 243, 915
in acid rain, 186
in aqua regia, 345, 486, 948
concentrated, 915
- Nitric oxide, 689, 913
biological roles, 689
from combustion in vehicles, 183, 760, 762, 909
localized electron model and, 631
molecular orbital model, 686–687, 913
naming of, 40
in nitric acid synthesis, 914–915
nitrogen dioxide and, 689, 718–720, 722–723
ozone and, 760, 762
paramagnetism of, 687, 913
reaction with hydrogen, 746–748
- Nitrite anion
electronic structure, 627
as ligand, 957
- Nitrite salts, 915
- Nitrito ligand, 957
- Nitrogen, 906–915
commercial preparation of, 896
electron affinity, 577
electron configuration, 564
explosive compounds, 10, 125, 207, 684–685, 809, 908–909, 910
in fertilizers, 10, 909, 911
as inert gas, 907, 908
ionization energy, 573, 575
molecular structure, 670, 684, 894, 907–908
new ion discovery, 910
oxidation state, 124, 126, 912
oxyacids of, 914–915
as real gas, 181–182
- Nitrogen cycle, 910
- Nitrogen dioxide
in acid rain formation, 186–187
air pollution and, 183, 186, 695, 760, 909
in automobile engine, 909
dimerization equilibrium, 204
localized electron model and, 631
in nitric acid synthesis, 915
rate of decomposition, 718–720, 722–724
reaction mechanisms with, 739–743
- Nitrogen fixation, 909–910
- Nitrogen hydrides, 911–912
See also Ammonia
- Nitrogen monoxide. *See* Nitric oxide
- Nitrogen oxides, 912–914
air pollution and, 183, 186, 909
lightning-associated, 909
naming of, 40
titanium dioxide and, 754
See also specific oxides
- Nitroglycerin, 908–909
- Nitrosyl ion, 913
- Nitrous acid, 186, 244, 915
- Nitrous oxide, 912–913, 914
decomposition rate, 736
naming of, 40
- NMR (nuclear magnetic resonance) spectroscopy, 701–706
- Noble gas electron configurations, 606, 607–608, 622, 623, 673
- Noble gases (Group 8A), 35, 926
compounds of, 636, 643–645, 673, 675–676, 926, 928–929
freezing points, 785
ionization energies, 573
London dispersion forces in, 784–785
- Noble metals, 497, 499, 506, 508, 942
- Nodal surfaces, 554
- Nodes
of hydrogen orbitals, 554
of particle-in-a-box wave function, 548
- Nonbonding orbitals, 972
- Nonelectrolytes, 97–98, 100
- Nonideal gases. *See* Real gases
- Nonideal solutions, 866–868
- Nonmetals, 35, 579, 892
binary covalent compounds of, 39–40, 41
covalent bonding of, 35, 606
ionic compounds with metals, 606–608
preparation of, 896
reactions with metals, 581
- Nonpolar molecules, dispersion forces of, 784, 785
- Nonpolar side chains, 1050, 1051
- Nonpolar solvents, 853, 856
supercritical carbon dioxide, 857
- Nonstoichiometric compounds, 822
interstitial hydrides, 899
- Norepinephrine, 259
- Normal boiling point, 828, 829–830
- Normal hydrocarbons, 1020–1023
- Normal melting point, 828, 829
- Normal modes, 698
- Nose, electronic, 648
- Novocaine, 259
- Novoselov, Konstantin, 804
- n–p–n junction, 812, 813
- n-type semiconductor, 810, 811, 812, 813, 814
- Nuclear atom, 27–28
- Nuclear charge
effective, 559, 578
shielding from, 571, 572–576, 578
- Nuclear fission, 990, 1004–1008
- Nuclear fusion, 1004–1005, 1008
in stars, 994, 1008
- Nuclear magnetic resonance (NMR) spectroscopy, 701–706
- Nuclear physics, 1009
- Nuclear reactors, 1006–1008, 1011
uranium enrichment for, 172–174
- Nuclear spin, 701–706
- Nuclear stability, 988–990, 1002–1005
- Nuclear transformations, 996–998
- Nuclear waste, 1011
- Nucleic acids, 4, 1060–1064
- Nucleosynthesis, stellar, 988, 1008
- Nucleotides, 1061–1062
- Nucleus, 29–30
density of, 988
forces in, 1008, 1009
Rutherford experiment, 27–28, 988
size of, 988
See also Radioactivity
- Nuclides
defined, 988
half-lives of, 993, 995–996
stability of, 988, 989
- Nylon, 1041, 1044, 1046
- oate (suffix), 1039
- Observations, 8, 9, A14
- Octahedral complexes, 953, 958
crystal field model, 964–968, 969
geometrical isomerism in, 957
hybrid orbital, 963
molecular orbital model, 971–973
VSEPR model and, 963
- Octahedral holes, 817–821
- Octahedral structures
with Group 5A elements, 907
hybrid orbitals for, 673, 674
VSEPR model, 642, 643
- Octane ratings, 74
- Octaves, 560
- Octet rule, 623, 624–625
electron-deficient compounds and, 628, 629, 903
exceptions to, 627–636
extra electrons and, 628–631, 632, 634, 668
formal charge and, 635
hyperconjugation and, 631, 632
odd-electron molecules and, 631
summary, 629
- Odd-electron molecules, 631
- Odors, 646–647, 648
- Oelert, Walter, 992
- oic (suffix), 1038
- Oil seeds, 401
- Oil shale, 400
- ol (suffix), 1034
- one (suffix), 1038
- Operator, Hamiltonian, 540, 543, 544
- Optical isomerism, 957–963
of monosaccharides, 1057–1058
- Orbital diagram, 562
- Orbitals, 540
complex, 550–551, 554, 569
exclusion principle and, 556, 563
filling of, 562–569, 570–571
as human models, 691–692
of hydrogen atom, 540, 543, 551–557, 569
ionization energy and, 572–573
of polyelectronic atoms, 559, 569–571
size of, 553, 557
See also Hybrid orbitals; Molecular orbitals (MOs)
- Orbits, in Bohr model, 533–535, 537, 540
- Order
of overall reaction, 727
of reactant, 723
- Ores
of metals, 506, 896
of sulfur, 920
- Organic acids, 244, 1038–1039
- Organic chemistry, 1020
See also Biomolecules; Hydrocarbon derivatives; Hydrocarbons
- Orthophosphoric acid. *See* Phosphoric acid
- ortho- substituents, 1032
- Osmium, 946
- Osmosis
defined, 871
reverse, 874–875
- Osmotic pressure, 871–875
of electrolyte solutions, 876
glucose storage and, 1060
- Ostwald process, 914–915
- ous (suffix), 37, 44
- Overall reaction order, 727
- Overvoltage, 504, 506, 509
- Oxalate ligand, 954
- Oxidation
at anode of galvanic cell, 476
corrosion of metals, 451–452, 497–502, 505, 508
defined, 128, 474
of iron in heat pack, 400
- Oxidation half-reaction, 131–132, 474
- Oxidation numbers. *See* Oxidation states
- Oxidation–reduction reactions, 106, 123–124, 126–128
in acidic solution, 130–132, 135–136
balancing equations for, 128–135, 480–481
in basic solution, 132–135
electrochemical (*see* Galvanic cells)
equilibrium constants for, 490
in fireworks, 538–539
of metals with nonmetals, 581
- Oxidation–reduction titrations, 135–136
- Oxidation states, 123–124, 126–127
compared to formal charge, 633, 636
in coordination compounds, 952, 954–956

- of nitrogen, 124, 126, 912
noninteger, 127
of phosphorus, 916
rules for, 126–127
of transition metals, 943, 944
- Oxidation states method, 128–130
- Oxide ion, 577, 606–607, 893
- Oxides
of alkaline earth metals, 893–894
of fluorine, 926
minerals as, 918
of phosphorus, 916–917
of sulfur, 921–922
- Oxidizing agent, 128, 474, 476
- Oxyacids, 244
of halogens, 925–926
of nitrogen, 914–915
of phosphorus, 917
of sulfur, 922
- Oxyanions
of halogens, 925–926
names of, 39, 44
- Oxygen, 918, 919–920
abundance, 895–896
in atmosphere, 182, 183, 184
biological role, 974–977
bonding properties, 894
commercial preparation of, 896
early research on, 16, 17
electron affinity, 576–577
electron configuration, 564
ionization energy, 573, 575
liquid, 685, 919
molecular orbital model, 683–685
oxidation states, 126
paramagnetism of, 685, 686, 919
silicon compounds with, 805–806, 808, 894
- Oxygen difluoride, 926
- Oxytocin, 1052
- Ozone, 919–920
decomposition rate, 743–744
nitric oxide and, 760, 762
resonance structures, 688
in smog formation, 183, 695
- Ozone layer, 182, 919–920
depletion of, 695, 762, 1027
- Ozonolysis, 919
- Paint
lead-based, 905–906
polymers added to, 428
for rust prevention, 501
titanium dioxide in, 754, 946
- Palladium, 946
antitumor compound of, 960
economic importance, 940
interstitial hydride of, 899
- Paper
acid decomposition of, 3–7
titanium dioxide in, 754, 946
- Paracelsus, 16
- Paramagnetism, 683–686
complex ions, 966
hemoglobin, 976
nitric oxide, 687, 913
nitrogen dioxide, 913
oxygen, 685, 686, 919
- Partial (fractional) charge, 96, 600, 603
See also Polar covalent bonds
- Partial ionic character, 613–614
- Partial pressures, 158–162
at equilibrium, 210–213
liquid–liquid solutions and, 866–867
- Particle accelerators, 36, 992, 996–997, 1009
- Particle in a box, 543–549
conjugated molecules and, 695
- Particles
classical view of, 527
modern classification of, 1009
wave properties of, 531, 537, 540, 542
- Pascal (unit of pressure), 150
- Pasteur, Louis, 959
- Pathway dependence, 362, 421, 426
- Patina, 499, 951
- Pauli, Wolfgang, 558
- Pauli exclusion principle, 558, 564
- Pauling, Linus, 600, 601, 602, 616
- Pencils, 599
- Penetration effect, 574–575
- Pentacene, 22
- Pentoses, 1057–1058
in nucleic acids, 1061
- Peptide linkage, 1050, 1063–1064
- per- (prefix), 39
- Percent composition, 62–64
- Percent dissociation, 253–255
common ion effect with, 293–294
- Percent ionic character, 614
- Percent yield, 80
- Perchlorate ion, 926
- Perchloric acid, 243, 244, 925
- Periodic table, 34–35, 892
atomic radius and, 578–579, 893–895, 945–946
electron affinity and, 576–577, 579
filling of orbitals and, 562–569, 570
history of, 560–562
information contained in, 579
ionic sizes and, 608–609
ionization energy and, 571–576, 579, 944
new form of, 567
transition metals in, 565, 566, 940–943
transuranium elements, 998
valence electrons and, 564, 565, 566, 892
See also Elements; Groups
- Periods, 35
- Permanent waving, 1055
- Permanganate ion, 136, 950
in galvanic cell, 474–475, 481–482
in oxidation–reduction reactions, 131–132, 135–136
spectrophotometric analysis, A18–A19
- Perovskites, 806
- Peroxides, 126
- PET (positron emission tomography), 1001
- Petroleum, 390–391
air pollution and, 183
desulfurization of, 760
residual oil from, 397
See also Gasoline
- pH, 247–248
indicator color change and, 320–325
of polyprotic acid solutions, 262–264, 266–268
in polyprotic acid titrations, 327–328
of salt solutions, 268–275
solubility of ionic solids and, 334–335, 338
of strong acid solutions, 248–249, 280
of strong base solutions, 256–257, 280
water's contribution to, 275–280
of weak acid solutions, 249–253, 275–280
of weak base solutions, 258, 260
See also Buffered solutions; pH curve; pH meter
- Phase diagrams
aqueous solution, 868, 870
carbon, 831–832
carbon dioxide, 833
water, 829–833
- pH curve, 307, 320
acid strength and, 317
strong acid–strong base, 310
weak acid–strong base, 310–311, 314, 315, 317
weak base–strong acid, 320
- Phenanthrene, 1033
- Phenol, 1036
- Phenolphthalein, 120, 321, 325
- Phenyl group, 1032
- Pheromones, 646, 647
- Phlogiston, 16, 17
- pH meter, 247, 489
equivalence point and, 320
- Phosphate minerals, gravimetric analysis of, 117–118
- Phosphate rock, 112–118, 917, 922
- Phosphate salts, solubility, 109
- Phosphide salts, 916
- Phosphine, 650, 916
- Phosphoric acid, 244, 917
equilibria of, 262–265
in nucleic acids, 1061
titration of, 325–326, 328
- Phosphorous acid, 917
- Phosphorus, 907, 915–917
bonding properties, 894, 915
diatomic, 686
in fertilizers, 917, 922
ionization energy, 576
oxides of, 916–917
oxyacids of, 917
solid structure, 815, 816
- Phosphorus pentachloride
hybrid orbitals for, 671–672
Lewis structures, 629–630, 631, 632
VSEPR model, 643
- Phosphorus pentoxide, 917
- Photochemical smog, 183, 695, 909
- Photochemistry, 695
of titanium dioxide, 754
- Photochromic glass, 927
- Photoelectric effect, 528–529
- Photons, 528, 529, 531, 1009
- Bohr model and, 534
- Photosynthesis
as experimental hydrogen source, 398
fossil fuels, 389
in grasses vs. trees, 55
- Physical changes. *See* Changes of state
- Physical states, of reactants and products, 70
- Pi (π) bonds, 668, 669–670, 674–675
delocalized, 688–690
of graphite, 803–805
group properties and, 894, 904, 907–908, 915–916, 921
- Pi (π) molecular orbitals, 682–683
- Piezoelectric materials, 125, 836
- Pilot-plant test, 11
- Pinatubo, Mount, 394
- Pipet, 105
- Pitchblende, 26–27, 918
- pK, 247
- pK_a, 299, 306
- Planck, Max, 527, 529
- Planck's constant, 527–528, 540, 544
- Plane-polarized light, 957, 959–962
- Plasma, cavitation and, 181
- Plasticizers, 13, 14
- Plastics
blowing agents for, 911–912
self-healing, 1048
titanium dioxide in, 946–947
See also Polymers
- Plating of metals, 500–501, 503, 504, 508
- Platinum, 946
antitumor compounds of, 960
economic importance, 940
- Platinum electrode, 478, 482, 504
- Platinum group metals, 946
- Platinum surface, reaction on, 736
- Pleated sheet, 1052, 1053
- Plum pudding model, 25, 27–28
- Plunkett, Roy, 1042
- Plutonium, 1008
- p–n junction, 814, 815
- p–n–p junction, 812
- pOH, 247
- Pohl, Randolph, 550
- Point defects, 821
- Polar coordinates, 549
- Polar covalent bonds, 600
dipole–dipole forces and, 783–784
electronegativity and, 600–602
of ethanol, 97
molecular orbitals and, 687–688
partial ionic character of, 613–614
of water, 95–96, 600, 899
See also Dipole moments; Hydrogen bonding
- Polarizability, dispersion forces and, 785, 824
- Polarized light, 957, 959–962
- Polar liquids, capillary action of, 787
- Polar side chains, 1050, 1051
- Polar solvents, 96, 97, 853, 856, 857

- Polonium, 27, 918
- Polyatomic gas, heat capacity of, 369, 370
- Polyatomic ions, 32, 39, 614
See also Complex ions
- Polycrystalline materials, 834
- Polydentate ligands, 953, 954
- Polyelectronic atoms, 558–560, 569–571
- Polyester, 1045
- Polyethylene, 1043–1044, 1045–1047
- Polymers, 12, 1040–1064
carbohydrates, 1055–1060
crosslinked, 1042
entropic forces and, 428
ethylene-based, 1042–1044, 1045–1049
historical development of, 1040–1042
ion-exchange resins, 901–902
nucleic acids, 4, 1060–1064
in paint, 428, 501
polyvinyl chloride, 12–14
self-healing, 1048
types of, 1042–1045
unsaturated hydrocarbons and, 1031–1032
See also Plastics; Proteins
- Polypeptides, 1050
- Polypropylene, 1047
- Polyprotic acids, 260–268
characteristics of, 268
common ion effect with, 293
table of K_a values, A22
titration of, 325–328
- Polysaccharides, 1059–1060
- Polystyrene, 1048–1049
- Polyvinyl chloride (PVC), 12–14, 1049
- Polyvinylidene fluoride (PVDF), 836
- p orbitals, 553–556
of polyelectronic atoms, 569, 571
- Porous disk, 475
- Porphyrin, 974, 975
- Positional probability, 418–419, 432, 445
chemical reactions and, 437–439
- Positron, 991, 992
- Positron emission tomography (PET), 1001
- Post-it Notes, 11
- Potassium, 35, 580–582, 740, 897–898
electron configuration, 564–565, 571
See also Alkali metals
- Potassium dichromate, 135
- Potassium hydroxide, 99, 255
- Potassium ions, in human body, 897–898
- Potassium permanganate, 135–136, 1039
- Potassium salts, soluble, 109–110
- Potential difference, 483
See also Cell potential
- Potential energy
chemical reactions and, 363–364, 413, 749–750
of diatomic molecule, 696–697
Hamiltonian operator and, 543, 544
of hydrogen atom, 549
of hydrogen molecule, 598
internal energy and, 364
kinetic energy and, 361–362, 413
of particle in a box, 543
of polyelectronic atom, 558, 560
- Potentiometer, 477, 484
of pH meter, 489
- Powers of a number, A2
- Praseodymium, 941
- Precipitate, 106
gravimetric analysis of, 116–118
- Precipitation reactions, 106–111, 335–341
equations for, 111–112
in qualitative analysis, 114, 338–341, 343–344, 345–346
in selective precipitation, 112–114, 337–341, 345–346
stoichiometry of, 114–118
- Precipitator, electrostatic, 879
- Precision, A8–A10, A11
- Prediction, 8, 107–109
- Pre-exponential factor, 751
- Pressure
altitude and, 182
boiling point and, 832–833
Boyle's law and, 150–152, 153, 155
collisions with walls and, 163–164, 166–167, 174
defined, 150
enthalpy and, 367, 445
entropy and, 445
equilibrium constant in terms of, 210–213, 214, 228–229
equilibrium position and, 224–226
force and, 150, 164, 166, 365–366
free energy and, 445–448
ideal gas law and, 153–156, 167
melting point and, 832–833
partial, 158–162, 210–213, 866–867
psi unit for, 1045
of real gas, 178–182
solubility and, 859–860
units of, 149–150
work and, 365–369, 377–379, 419–426, 454, 455
See also Isothermal process; Osmotic pressure; Vapor pressure
- Priestley, Joseph, 16–17, 914
- Primary alcohols, 1034, 1038
- Primary amines, 1039
- Primary structure, of protein, 1049–1050, 1052
- Principal quantum number, 549–550, 553
periodic table and, 567
- Probability
entropy and, 416–419, 426–429, 432, 438–439, 445
of radioactive decay, 988, 992–993
wave function and, 545, 546–547, 552, 676
- Probability distributions
of hydrogen atomic orbitals, 552–553, 554–557
of molecular orbitals, 677
of particle in a box, 547–548
of polyelectronic atoms, 571
- Problem solving, 61–62
conceptual, 61–62, 104
creativity in, 2–3
equilibrium, 218–222
paper decomposition and, 3–7
- Products, 69–71
calculation of masses of, 73–82
- Propane, 1022, 1031
combustion of, 73–75
- Propene, 1029, 1031
- Propyl group, 1024
- Proteins, 1049–1055
in calcium carbonate composite, 792
enzymatic breakdown of, 758
heme complex and, 974–976
ice crystal formation and, 878
molar mass determination, 60, 872–873
NMR spectroscopy of, 706
synthesis of, 1062–1063
See also Enzymes
- Proton acceptor, 118, 241, 242, 255, 257
- Proton donor, 118, 241, 242
- Protons, 29–30, 988
atomic radii, 550
fusion of, 1008
hydration of, 241, 242, 245
name origin, 28
nuclear magnetic resonance with, 701–706
nuclear stability and, 989, 990, 991
quark structure of, 1009
See also Hydrogen ions
- Proust, Joseph, 17–18
- Pseudo-first-order rate law, 737
- psi (pounds per square inch), 1045
- p -type semiconductors, 812, 813, 814
- PVC (polyvinyl chloride), 12–14, 1049
- PVDF (Polyvinylidene fluoride), 836
- PV work, 366–367
in calorimetry, 377–379
heat capacity and, 367–369
maximum, 426
maximum useful work and, 454–455
- Pyramidal structures. *See* Trigonal bipyramidal structures; Trigonal pyramidal structures
- Pyridine, 257, 258
- Pyroaurite, 501
- Pyrolytic cracking, 390, 898
- Pyrophoric substance, 916
- Quadratic equations, A5–A7
- Quadratic formula, A5
- Qualitative analysis, 114, 338–341, 343–344, 345–346
- Qualitative observations, 8
- Quantitative observations, 8, A14
- Quantum, 527–528, 529
- Quantum dots, 837
- Quantum electrodynamics, 550
- Quantum mechanics, 524
development of wave equation, 537–540
early developments leading to, 527–531
of particle in a box, 543–549, 695
of polyelectronic atoms, 558–560, 569–571
probabilistic interpretation of, 545, 546–547, 552, 676
uncertainty principle, 540–542, 548, 552, 557
See also Hydrogen atom
- Quantum numbers
electron spin, 557–558
of hydrogen atom, 549–551, 553–554, 569
of particle in a box, 547
of polyelectronic atoms, 570
rotational, 699–700
vibrational, 697
- Quarks, 988, 1009
- Quartet signal, 703, 704
- Quartz, 805, 806, 894, 942
- Racemic mixture, 960, 962
- Rad (radiation dose), 1010
- Radial probability distribution of hydrogen 1s orbital, 552–553
in polyelectronic atoms, 570, 571
- Radiation, electromagnetic. *See* Electromagnetic radiation
- Radiation hazards, 1008, 1010–1011
protein denaturation and, 1055
- Radiation therapy, 1001
- Radicals. *See* Free radicals
- Radii
atomic, 578–579, 785, 893–895, 945–946
ionic, 608–609
- Radioactive decay. *See* Radioactivity
- Radioactivity
Radioactive wastes, 1011
- Radioactivity
for dating ancient articles, 999–1000
detection of, 998–999
discovery of, 26–27
equations for decay in, 988–989
kinetics of, 992–993, 995–996, 1000
medical applications, 1000–1001
stability of nuclides and, 988, 989
types of, 26–27, 990–992
- Radiocarbon dating, 999–1000
- Radiotracers, 1000–1001
- Radium, 27, 35, 569, 901
- Radon, 35
as biological hazard, 1011
compounds of, 929
Random-coil arrangement, 1054
Random error, A8, A9
Range of measurements, A10
Raoult, François M., 864
Rare earth metals. *See* Lanthanide series

- Rate
 defined, 720
 of radioactive decay, 992–993, 995
- Rate constant, 723
 calculation of, 726–727, 732
 for radioactive decay, 993, 995
 temperature dependence of, 751–753
- Rate-determining step, 741, 742, 746
- Rate laws. *See* Kinetics, chemical
- RBE (relative biological effectiveness), 1010, 1011
- Reactants, 69–71
 calculation of masses of, 73–82
 limiting, 76–82
- Reaction mechanisms, 718, 739–745
 defined, 739
 femtosecond studies of, 721
 steady-state approximation, 746–748
- Reaction order, overall, 727
- Reaction quotient, 215–216, 217, 218, 223
 cell potential and, 487–489, 490–491
 free energy change and, 446, 450, 487
- Reaction rate, 720, 723
See also Kinetics, chemical
- Reactions, chemical, 69–70
 bond energies and, 363–364, 619–621
 to completion, 204, 214, 281, 447
 Dalton's atomic theory and, 19
 enthalpy changes in, 368, 374–379, 381–389, 619–621
 entropy changes in, 437–440
 equations for, 69–73, 111–114, 128–135
 free energy changes in, 441–452
 types of, 106
See also Acid–base reactions; Oxidation–reduction reactions; Precipitation reactions
- Reactor core, 1007
- Reagent, limiting, 76–82
- Real gases, 178–182
 Boyle's law and, 152
 equilibria of, 228–229
 intermolecular collisions in, 176–178, 181–182
 molar volumes, 156
- Rectifier, 815
- Redox reactions. *See* Oxidation–reduction reactions
- Red phosphorus, 916
- Reduced mass, 697, 700
- Reducing agents
 alkali metals, 896–897
 defined, 128
 of galvanic cell, 474, 476
 hydride ion, 899
 in metallurgy, 896
 transition metals, 944–945
- Reduction
 at cathode of galvanic cell, 476
 defined, 128
See also Oxidation–reduction reactions
- Reduction half-reaction, 131–132, 474
- Reduction potentials
 corrosion of metals and, 497–498, 499
 standard, 477–483, A24
 of transition metals, 944–945
- Reference state, 212–213
 for pure liquid or solid, 213
- Relative solubilities, 332
- Relativity, 528, 529, 574–575
 nuclear stability and, 1002–1004
- rem (roentgen equivalent for man), 1010
- Representative elements, 566, 579, 892–896
- Residual oil, 397
- Resonance, 626–627
 formal charge and, 634–636
 hyperconjugation and, 632
 molecular orbitals and, 688–690
 VSEPR model and, 645–647, 649
- Respiratory chain, 974
- Respiratory inhibitor, 977
- Reverse bias, 812, 814
- Reverse osmosis, 874–875
- Reversible chemical reactions, 722–723
- Reversible processes
 adiabatic
 expansion–compression, 457–460
 changes of state, 429–431
 defined, 422, 426
 electrochemical, 484
 isothermal
 expansion–compression, 422–423, 424, 426, 460
 maximum work and, 455
 summary, 455–457
- Rhodium, 946
- Rhombic sulfur, 921
- Ribonucleic acids (RNA), 1060–1061, 1062–1064
- rms (root mean square) velocity, 168–170
- Roasting, 224
- Rocket fuels, 911, 928
- Rohrer, Heinrich, 22
- Roman numerals
 for complex ions, 954, 955–956
 for ions, 37–38, 42
- Root mean square velocity (rms), 168–170
- Roots
 of exponential expression, A2–A3
 of quadratic equation, A5–A7
- Rose-Petruck, Christopher, 741
- Rotational motion
 entropy and, 440
 heat capacity and, 369
- Rotational quantum number, 699–700
- Rotational spectroscopy, 692–693, 699–701
- Rounding numbers, A13–A14
- Rubber, 1042, 1046, 1049
- Rubidium, 35, 565, 580, 581, 740, 820, 897, 898
- Rust, 497, 500, 950
 equilibrium constant, 451–452
 heat packs and, 400
 paint for prevention of, 501
- Ruthenium, 946
- Rutherford, Ernest, 27–28, 988, 996
- Rutile, 947
- Salt bridge, 475, 476
- Salts
 acidic solutions of, 270–273
 basic solutions of, 268–270, 272–273
 common ion effect with, 292–294
 corrosion and, 500
 defined, 32, 268, 614
 as electrolytes, 97
 neutral solutions of, 268, 272–273
 solubility rules for, 109–110
See also Ionic compounds; Solubility
- Samarium, 941
- Santorio, Mario, 808
- Saturated fats, 898, 1031
- Saturated hydrocarbons, 1020–1028
- Saturated solution, 329
- SAW (surface acoustic wave) device, 125
- Scandium, 565, 943, 946
- Scanning tunneling microscopy (STM), 22, 542, 544, 744, 797
- SCF (self-consistent field) method, 560, 569–571
- Schoenbein, Christian, 1040–1041
- Schottky defects, 821
- Schrödinger, Erwin, 537, 540
- Schrödinger wave equation, 537, 540
 for hydrogen atom, 549–551
 orbital model and, 691
 for particle in a box, 543–549
 for polyelectronic atoms, 558, 559, 569–570
- Scientific method, 7–10, 162–163
- Scintillation counter, 999
- Scrubbing, 186–187, 256, 920
- Secondary alcohols, 1034, 1038
- Secondary amines, 1039
- Secondary structure, of protein, 1052–1054
- Second ionization energy, 572, 573, 576
- Second law of thermodynamics, 428, 431, 456, 457
- Second-order reaction
 differential rate law, 727
 half-life, 733, 735
 integrated rate law, 733–735
 mechanism and, 739
sec- prefix, 1024
- Seddon, Kenneth R., 861
- Seed oil, 401
- See-saw structures, 642
- Selective precipitation, 112–114, 337–341, 345–346
- Selenium, 918
- Self-consistent field (SCF) method, 560, 569–571
- Self-healing materials, 1048
- Seltzer, 16
- Semiconductors, 811–815
 gallium arsenide, 810
 germanium in, 904
 selenium, 918
 tellurium, 918
 titanium dioxide, 754
See also Silicon chips
- Semimetals, 580–581, 892, 894
- Semiochemicals, 646–647
- Semipermeable membrane, 871, 872, 874, 875
- Semon, Waldo, 13
- Sensors, 125, 648
- Sheele, Carl, 599
- Shielding, from nuclear charge, 571, 572–576, 578
- Sickle cell anemia, 976, 977
- Side chains, of amino acids, 1050
- Side reactions, 80
- Siegel, Dick, 834
- Sieves, molecular, 125, 163
- Sigma (δ) bonds, 668, 669, 670, 671–672, 674–675
- Sigma (δ) molecular orbitals, 678–679
- Significant figures, A8, A12–A14
 for logarithms, 247
- Silica, 805–807, 894, 895
 in glass, 806–807, 925
- Silicates, 506, 806, 809, 811, 895
- Silicon, 793, 805, 892, 894, 904
 abundance, 895
 as semiconductor, 811, 812–813
- Silicon chips, 812–813
- Silver
 as conductor, 941
 corrosion of, 499, 505
 crystal structure, 798
 plating with, 504, 508
- Silver, Spencer F., 11
- Silver cell, 495
- Silver chloride
 in photochromic glass, 927
 solubility in water, 98
- Silver halides, Frenkel defects in, 821–822
- Silver sulfide, 499, 505
- Simple sugars, 1055, 1057–1058
- Single bond, 618
- SI units, A14–A15
- Sizing agent, 4
- Slaked lime, 256
- "Slightly soluble," 109–110
- Slope of line, A4, A5
 instantaneous reaction rate and, 720
- Slurry
 coal, 397
 in scrubbing process, 186, 187
- Smalley, Richard, 835
- Smog. *See* Air pollution
- Smoke, removal of soot from, 879
- Soap, hard water and, 901, 902
- Soda ash, 256
- Sodium, 35, 581–582, 897–898
 commercial production of, 508–509
 electron configuration, 564
 ionization energy, 576
 isotopes of, 29–30, 30
 radial distributions of orbitals,

- 571
See also Alkali metals
- Sodium acetate, 268–269
- Sodium azide, 160
- Sodium chloride
 bonding in, 31–33, 597
 crystal structure, 612, 793, 820
 desalination of seawater, 874–875
 electrolysis of, 508–510
 formation from elements, 123, 124, 581
 freezing-point depression with, 870, 875
 ion pairing in solution, 876
 isotonic solution of, 874
 molar mass of, 60–61
 in solar ponds, 854
 solubility in water, 98, 855–856
- Sodium chloride structure, 612
- Sodium fluoride, lattice energy, 612–613
- Sodium hydroxide, 99, 255
 commercial production of, 508–510
 paper decomposition and, 5
 in polyprotic acid titrations, 328
 reaction with hydrochloric acid, 118
- Sodium ions, in human body, 897–898
- Sodium salts, soluble, 109
- Softening hard water, 256, 901–902
- Solar ponds, 854
- Solids
 activity of, 213–214
 atomic, 793
 in chemical equations, 70
 molecular, 793, 815–816
 polycrystalline, 834
 properties of, 793
 standard state, 384
 types of, 789–790
 vapor pressure, 825
See also Ionic compounds;
 Metals; Network solids
- Solubility, 96–97, 98, 329
 common ion effect and, 332–333
 complex ion formation and, 343–346
 complications in calculations of, 333–334
 entropy and, 418–419, 855–858
 equilibrium calculations, 329–334
 free energy and, 855–856
 of gases, 859–860, 861–862
 like dissolves like, 97, 853, 856, 858
 pH effects, 334–335, 338
 practical importance of, 329
 pressure effects, 859–860
 relative, 332
 vs. solubility product, 330
 strategies for enhancing, 344–345
 structure effects, 858–859
 temperature effects, 345, 860–862
- thermodynamics of, 853, 855–858
See also Precipitation reactions
- Solubility product (K_{sp}), 329–334
 electrochemical measurement of, 492
 precipitation and, 335–338
 vs. solubility, 330
 table of values, 330, A23
- Solubility rules, 109–110
- Solute, 97, 852
- Solutions, 852–879
 boiling-point elevation, 868–869, 876
 colligative properties, 868–876
 composition of, 100–105, 852
 defined, 97, 852
 dilution of, 104–105
 freezing-point depression, 870–871, 875, 876
 gravimetric analysis of, 116–118
 hypertonic, 873
 hypotonic, 873
 ideal, 866
 isotonic, 873, 874
 liquid–liquid, 866–868
 nonideal, 866–868
 osmotic pressure, 871–875, 876
 positional probability and, 418–419
 reactions in (*see* Acid–base reactions;
 Oxidation–reduction reactions;
 Precipitation reactions)
- sound waves and, 181
- standard, 103–104
- standard state in, 384–385
- states of, 852
- thermodynamics of, 853, 855–858
- vapor pressures of, 863–868
See also Aqueous solutions
- Solvents, 97, 852
 nonpolar, 853, 856, 857
 polar, 96, 97, 853, 856, 857
 water, 856–858
 water as, 95–97
- Somatic radiation damage, 1010
- Sonochemistry, 181
- Soot, electrostatic precipitator and, 879
- s* orbitals, 552, 553, 554
 of polyelectronic atoms, 570
- Sottos, Nancy, 1048
- Sound waves, cavitation and, 181
- Space-filling model, 31
- Space vehicles
 fuel cells for, 496
 rocket fuels for, 911, 928
- Special relativity, 529, 574–575
- Specific heat capacity, 375, 383
- Spectator ions, 111–112
- Spectrochemical series, 966
- Spectrophotometer, A16
- Spectroscopy, molecular, 692–693, A16–A19
 electronic, 693–696
 nuclear magnetic resonance, 701–706
 real-world applications of, 690
 rotational, 693, 699–701
 vibrational, 693, 694, 696–699
- Spectroscopy, ultrafast X-ray, 741
- Spectrum
 continuous, 530–531
 electromagnetic, 525, 526
 electron spin and, 557–558
 of fireworks, 538–539
 of hydrogen, 531–532, 533, 535
- Spherical polar coordinates, 549
- sp* hybridization, 668–670
- sp*² hybridization, 666–668, 669
- sp*³ hybridization, 664–666, 671–672, 691
- Spin
 electron, 557–558, 574–575, 704, 705
 nuclear, 701–706
- Spinneret, 1041
- Spin quantum number, 557–558
- Spin–spin coupling, 703–706
- Spontaneous fission, 990
- Spontaneous processes, 413–419
 electrochemical, 481, 484, 485, 486, 488
 entropy increase in, 415–419, 431–435
 free energy and, 435–437, 445, 448, 454
 reaction rates and, 443, 718
 temperature and, 432–437
 work available from, 456
See also Irreversible processes
- Square planar structures
 complex ions with, 953, 957, 963, 969, 971
 VSEPR model, 644–645
- Square roots, A2–A3
- Stability constants, 341
- Stahl, Georg, 16–17
- Stainless steel, 498, 501
- Stalactites and stalagmites, 292, 335
- Standard atmosphere, 150
- Standard deviation, A10
 confidence limits and, A12
- Standard enthalpy of formation, 384–389
 bond energies and, 620
 defined, 384
 of element, 386–387
 table of values, A19–A21
- Standard entropy values, 439–440, A19–A21
- Standard free energy change, 441–445
- Standard free energy of formation, 443–444, A19–A21
- Standard hydrogen electrode, 478
- Standard reduction potentials, 477–483, A24
 corrosion of metals and, 497–498, 499
 of transition metals, 480, 944–945
- Standard solution, 103–104
 for titration, 119, 120
- Standard states, 384
- Standard temperature and pressure (STP), 156, 157
- Standing waves, 537, 540, 548
- Starch, 1059–1060
- State function
 defined, 362
 energy as, 362, 374, 426
 enthalpy as, 367, 374
 entropy as, 440
 free energy as, 442
- State of a gas, 154
- States of matter, 782
 in solutions, 852
- Statue of Liberty, restoration of, 498–499
- Staudinger, Hermann, 1041
- Steady-state approximation, 746–748
- Steel
 alloy structures, 801–802
 chrome-plated, 508, 947
 chromium in, 947
 corrosion of, 497, 499–501
 corrosion prevention, 501–502
 galvanized, 501, 952
 stainless, 498, 501
 tin-coated, 508, 905
 vanadium in, 947
- Stellar nucleosynthesis, 994, 1008
- Stereoisomerism, 957–963, 1029
 of sugars, 1057–1058
- Steric factor, 751
- STM (scanning tunneling microscope), 22, 542, 544, 744, 797
- Stock solutions, 104–105
- Stoichiometric point, 119–120, 309
 of oxidation–reduction, 136
See also Equivalence point
- Stoichiometric quantities, 76
- Stoichiometry, 73–76
 of acid–base reactions, 119
 defined, 54
 of gases, 156–158
 with limiting reactant, 76–82
 of precipitation reactions, 114–118
 of reactions in solution, 100, 115–118
 summary, 80
- STP (standard temperature and pressure), 156, 157
- Straight-chain hydrocarbons, 1022
- Stregay, Heather Rypchemi, 415, 416
- Strong acids, 98–99, 243–244
 equilibrium problems with, 248–249, 280
 polyprotic, 265–268
- Strong acid–strong base titrations, 308–310, 323, 325
 indicator for, 323
- Strong acid–weak base titrations, 318–320
- Strong bases, 97–98, 99, 255–257
 cations from, 268
 very dilute, pH of, 280
- Strong electrolytes, 97–99, 111
- Strong-field ligands, 966, 969, 976
- Strong nuclear force, 1009
- Strontium, 35, 565, 900, 901
- Strontium-90, 995, 1010
- Structural formula, 30–31
- Structural isomerism, 956–957
 of alkanes, 1022–1026
- Subcritical nuclear process, 1006
- Sublimation, 825, 830, 833
- Subshell, 554
- Substitutional alloy, 801–802

- Substitution reactions
of alkanes, 1027
of aromatic hydrocarbons,
1032–1033
Substrate, 758–759
Subtraction
in exponential notation, A2
significant figures, A13
Successive approximations, 220,
A6–A7
Sucrose, 1058
as molecular solid, 793
as nonelectrolyte, 100
reaction with sulfuric acid, 922
Sugar of lead, 905
Sugars, 1055–1060
ethanol derived from, 401
in nucleic acids, 1061–1062
Sulfate ion, electronic structure,
631, 633–635
Sulfate salts, solubility, 109
Sulfides
of metals, 506, 918
solubility equilibria and, 334,
338, 340, 345
solubility in water, 109
Sulfites, 922
Sulfur, 918, 920–922
bonding properties, 894
electron configuration, 568
ionization energy, 576
oxidation state, 126
solid structures, 815, 816
vulcanization with, 1042
Sulfur dioxide, 921–922
in acid rain formation,
183–184, 186–187, 757
in auto exhaust, 757, 760
from coal burning, 183–184
molecular structure, 649
oxidation of, 757
from petroleum combustion,
760
scrubbing of, 186–187, 256,
920
vibrational modes, 698
Sulfur hexafluoride
hybrid orbitals for, 672–673
Lewis structures, 628–629,
630, 631, 632
Sulfuric acid, 98–99, 243–244,
922
in acid rain, 185, 186, 757
as dehydrating agent, 915, 922
dissociation equilibria,
265–268
manufacture of, 757, 922
Sulfur monoxide, 921
Sulfurous acid, 922
Sulfur trioxide, 922
in atmosphere, 183–184, 186
bond polarities in, 605
in sulfuric acid manufacture,
757
Sunflower oil, 401
Sunglasses, photochromic, 927
Sunscreens, 526
Superconductivity, 806–807
Supercooling, 828
polar fish and, 878
Supercritical fluids, 857
Supercritical nuclear processes,
1006, 1007
Superfluid water, 857
Superheating, 828
Frasch process and, 920
Supernova explosion, 994
Superphosphate of lime, 917
Surface acoustic wave (SAW)
device, 125
Surface alloys, 501
Surfaces
architecture of, 544
cavitation and, 181
of copper crystal, 797
reactions on, 755–757, 760
Surface tension, 787
Surroundings, 362–363
entropy change in, 432–435,
456
Suslick, Kenneth, 181
Suspensions, 877–879
slurries, 186, 187, 397
Swartzentruber, Brian, 797
Sykes, Charles, 544
Syndiotactic chain, 1047
Syngas, 395, 397
System, 362–363
entropy change in, 432, 433,
434
Systematic error, A8–A9
Taggants, 42–43
Tanning lotions, 1056
Tantalum, 946
Tarnish, silver, 499
Tastes, 648
Technetium-99m, 1001
Teflon, 1042
Tellurium, 918
Temperature
absolute zero, 153, 740
adiabatic processes and,
457–460
of atmosphere, altitude and,
182
blackbody radiation and, 527
Celsius to Kelvin conversion,
152
changes of state and, 826–828
entropy and, 429–430, 439
equilibrium constant and,
226–228, 452–453
gas volume and, 152–153
vs. heat, 362, 383
heat capacity and, 439
kinetic energy and, 163,
167–168, 368, 369, 824–825
kinetic theory of gases and,
163, 167–170
reaction rates and, 749–753
real gas behavior and, 178–180
solubility and, 345, 860–862
solution composition and, 852
spontaneity and, 432–437
vapor pressure and, 824–825,
826–827
See also Heat
Terbium, 941
Termolecular step, 739
Tertiary alcohols, 1034
Tertiary amines, 1039–1040
Tertiary structure, of protein, 1054
tert- prefix, 1024
Tetraethyl lead, 390, 760, 906
Tetrahedral holes, 816, 817–819,
820, 821
Tetrahedral structures
of complex ions, 953, 963,
968–969
of diamond, 802
with Group 5A elements, 907
optical isomerism of, 1057
with polar bonds, 605
of silica, 894
 sp^3 orbitals for, 664–666,
671–672, 691
VSEPR model, 638, 641, 643,
650
Tetraphosphorus decoxide, 917
Thallium, 902, 903
Thallium-201, 1001
Theoretical yield, 80
Theory, 8–9, 10, 162
See also Models
Thermal conductivity, 794, 800,
801
Thermal neutron analysis, 125
Thermal pollution, 861
Thermodynamics
defined, 364
first law, 364, 365, 413
vs. kinetics, 413–414
second law, 428, 431, 456–457
sign convention in, 364–365
standard states in, 384
third law, 439
See also Energy; Enthalpy;
Entropy; Free energy
Thermodynamic stability, 443,
830, 831
of nuclei, 988, 1002–1005
Thermoplastic polymer, 1041,
1045, 1046
Thermoset polymer, 1041
Thiols, in petroleum, 760
Third law of thermodynamics, 439
Thomson, J. J., 24–25, 27
Thomson, William (Lord Kelvin),
25
Thorium, 990, 992
Three-center bonds, 902–903
Thundat, Thomas, 809
Thymol blue, 325
Time measurements, 536
Tin, 904–905, 906
in stabilizers for PVC, 13
stable isotopes of, 989
steel plated with, 508, 905
Tin disease, 904
Titanium, 565, 943, 944, 946, 948
Titanium dioxide, 754, 946–947
in polyvinyl chloride, 14
in sunscreen, 526
Titanosilicate, 163
Titrant, 119–120
Titration curve. *See* pH curve
Titrations
acid–base (*see* Acid–base
titrations)
oxidation–reduction, 135–136
TNT (trinitrotoluene), 909
Tongue, electronic, 648
Tooth decay, 329, 475
Torquato, Salvatore, 796
torr (unit of pressure), 150
Torricelli, Evangelista, 149, 150
Tungsten air bags, 160
Trailing zeros, A13
Transfer RNA, 1063, 1064
trans isomers, 957, 960, 961, 1029
Transistors, 812–813
Transition metals, 35, 892
3d series (first-row), 943–945,
946–952
4d series, 945–946
5d series, 945–946
biological importance, 940,
974
economic importance, 895,
940
electron configurations, 565,
579, 580, 943–944
forming only one ion, 38
in gemstones, 970
general properties, 940–943
interstitial hydrides of, 899
ionization energies, 944
names of, 37–38
oxidation states, 943, 944
paramagnetic compounds of,
943
periodic table and, 563, 565,
566, 940–943
rarity of, 895
reduction potentials, 944–945
See also Coordination
compounds; Metals
Transition state, 749
Translational kinetic energy, heat
capacity and, 369
Transmittance, 699, A16
Transuranium elements, 998
Triads, 560
Trial and error, 7
Trigonal bipyramidal structures,
641, 642
with Group 5A elements, 907
hybrid orbitals for, 670–672,
674
Trigonal holes, 816, 817
Trigonal planar structures, 638,
641
hybrid orbitals for, 667, 674
Trigonal pyramidal structures,
639, 641, 907, 911
phosphine, 650, 916
Triiodide ion
hybrid orbitals for, 672
Lewis structure, 630
VSEPR model, 645
Trimethylamine, 257
Trinitrotoluene (TNT), 909
Triple bonds
in alkynes, 1029–1031
bond energies, 619, 685
bond lengths, 619
hybrid orbitals for, 670,
674–675
in nitrogen, 907–908
in VSEPR model, 647, 650
Triple phosphate, 917
Triple point
of carbon dioxide, 833
of water, 831
Triplet, 703, 704
Triprotic acids
phosphoric acid, 262–265
titration of, 326–328
Troposphere, 182–183
Tsapatsis, Michael, 163
Tungsten, 941–942, 943
Tunneling, 22
Tyndall effect, 877
Uhlenbeck, George, 557

- Ultrasound, chemical effects of, 181
- Ultraviolet catastrophe, 527
- Ultraviolet radiation, 525
 - chlorination of hydrocarbons and, 1027
 - electronic spectroscopy and, 693–694
 - ozone and, 183, 762, 919–920
 - polyvinyl chloride and, 13
 - sunscreens and, 526
- Unbranched hydrocarbons, 1022
- Uncertain digit, A7–A8
- Uncertainties in measurement, A7–A12
- Uncertainty principle, 540–542
 - wave function and, 552, 557
 - zero-point energy and, 548
- Unidentate ligands, 953
- Unimolecular step, 739
- Unit cells, 790, 799–800
- Unit factor method, A15–A16
- Units of measurement, 8, 9, A14–A15
 - conversions, A15–A16
- Universal gas constant, 154, 167
- Unsaturated fats, 755, 898, 1031
- Unsaturated hydrocarbons, 1020–1021, 1029–1033
 - addition reactions, 755, 1031
 - See also* Ethylene
- Uranium
 - age of rocks and, 1000
 - enrichment of, 172–174
 - fission of, 1005–1006, 1007–1008, 1011
 - radioactive decay, 26, 27, 990, 991, 992, 997, 998
- Urea, synthesis of, 1020
- Vacuum pump, 149
- Valence electrons
 - bonding types and, 606
 - chemical properties and, 579
 - defined, 564
 - periodic table and, 564, 565, 566, 892
 - See also* Lewis structures
- Valence shell electron-pair repulsion model. *See* VSEPR model
- Vanadium, 565, 943, 947
- Vanadium oxide, 947
- Vanadium steel, 947
- van der Waals, Johannes, 178–179, 784
- van der Waals equation, 179–180, 181
- van der Waals forces, 784
 - See also* Dipole–dipole forces; London dispersion forces
- van Gestel, Raoul, 797
- Van Helmont, Jan Baptista, 149
- van't Hoff, Jacobus H., 453, 875
- van't Hoff equation, 453
- van't Hoff factor, 875–876
- Vapor, defined, 822
- Vaporization, 822
 - entropy change, 430–431, 432, 824, 825
 - free energy change, 437
- Vapor pressure, 822–828, 828
 - at boiling point, 828
 - in gas collection over water, 159–161
 - measurement of, 823
 - at melting point, 826–828
 - of solids, 826
 - of solutions, 863–868
 - temperature and, 824–825, 826–827
- Variable force air bags, 160
- Vasopressin, 1052
- Velocity of gas particles, 164–167
 - average, 169–170, 174–175, 177, 178
 - diffusion and, 171, 172, 173
 - distribution of, 169–170
 - effusion and, 170–171
 - most probable, 169–170
 - root mean square, 168–170
- Vibrational motion
 - entropy and, 440
 - heat capacity and, 369
- Vibrational quantum number, 697
- Vibrational spectroscopy, 693, 694, 696–699
- Vinegar. *See* Acetic acid
- Vinyl chloride, 12, 1049
- Viscosity, 787, 788
 - of polymers, 1047
- Visible radiation. *See* Light
- Vitamins, solubilities, 858–859
- Volatile liquids, 823
- Volt (unit of electrical potential), 476, 483
- Volta, Alessandro, 477
- Voltaic cells. *See* Galvanic cells
- Voltmeter, 476–477, 484
- Volume
 - equilibrium position and, 224–226
 - PV* work and, 365–367, 377–379, 426, 454–455
 - uncertainty in measurement, A7
 - units of, A15
- Volumetric analysis, 119
 - See also* Acid–base titrations; Oxidation–reduction reactions
- Volumetric flask, 103, 104, 105
- Volumetric pipet, 105
- VSEPR model, 621, 637–650
 - complex ions and, 963
 - hybrid orbitals for, 664, 673
 - linear structures, 637, 641, 642, 645
 - lone pairs in, 639, 640, 650
 - with multiple bonds, 645–647, 649, 650
 - with no central atom, 649
 - octahedral structures, 642, 643
 - square planar structure, 644–645
 - success of, 650
 - summary, 639, 649–650
 - tetrahedral structures, 638, 641, 643, 650
 - trigonal bipyramidal structures, 641, 642, 907
 - trigonal planar structures, 638, 641
 - trigonal pyramidal structures, 639, 641
- Vulcanization, 1042
- Waage, Peter, 207, 208
- Walsh, William, 905
- Wang, Zhong Lin, 836
- Waste management
 - radioactive wastes, 1011
 - with superfluid water, 857
- Water
 - as acid, 245–246
 - activity of, 242
 - in atmosphere, 392, 394
 - autoionization of, 245–246, 248–249, 256–257
 - as base, 241–242, 243, 245–246, 270
 - biological decomposition of, 397, 398
 - bond angle of, 95
 - in buffered solutions, 302–304
 - capillary action, 787
 - changes of state, 826–828
 - as coolant, 822, 861, 899
 - density, 782, 832, 899
 - dipole moment, 604
 - electrolysis of, 397–398, 504, 898
 - free radicals derived from, 1010
 - gas collection over, 159–161
 - hard, 256, 901–902
 - heating curve for, 826–827
 - hydrogen bonding in, 783–784, 816, 822, 823–824, 825, 826, 899
 - hydrogen ions contributed by, 244–245, 275–280, 301–304
 - Lewis structure, 624
 - naming of, 40
 - phase diagram, 829–833
 - as polar molecule, 95–96, 600, 899
 - purification of, 919
 - reaction with alkali metal, 896–897, 899
 - reaction with alkaline earth metal, 900
 - reaction with base, 257, 258, 260, 334
 - as solvent, 95–97, 856–858
 - states of, 782
 - supercooled, 828, 878
 - supercritical, 857
 - thermal decomposition of, 397, 398
 - unusual properties of, 899
 - vaporization of, 430–431, 432, 782, 783, 822, 825, 826–827
 - vapor pressure and temperature, 824, 826–827
 - VSEPR model, 640
 - See also* Aqueous solutions; Ice
- Waters of hydration, 187
- Water-soluble vitamins, 858–859
- Wave function, 540, 543
 - of hydrogen atom, 543, 549–551
 - molecular orbital, 676
 - of particle in a box, 543–548
 - physical meaning of, 551–553
 - of polyelectronic atom, 569–570
 - probability and, 545, 546–547, 552, 676
- Wavelength, 524–525
 - color and, 967–968
 - of particle, 529–531
 - photon energy and, 528, 534–535
- Wave mechanics, 537–540
 - See also* Quantum mechanics
- Wave number, 697, 698
- Waves, 524–525
- Weak acids, 99–100, 243, 244
 - common ion effect with, 292–294
 - conjugate base of, 244, 245, 268–269
 - equilibrium problems with, 249–255, 275–280
 - as indicators, 320–325
 - mixtures of, 251–253
 - organic, 244, 1038–1039
 - percent dissociation, 253–255
 - polyprotic, 260–268
 - reaction with hydroxide ion, 118, 122–123
 - table of K_a values, A22
 - See also* Buffered solutions
- Weak acid–strong base titrations, 310–318, 325
 - indicator for, 325
- Weak bases, 100, 257–258, 260
 - in buffered solution, 294, 299–301
 - cyanide ion as, 270
 - table of K_b values, A23
- Weak base–strong acid titrations, 318–320
- Weak electrolytes, 97, 99–100
- Weak-field ligands, 966, 969, 976
- Weak nuclear force, 1009
- Weight, vs. mass, 19
- Weight percent, 62, 852
- Wentorf, Robert H., Jr., 830
- Werner, Alfred, 952, 954, 958
- White, Scott, 1048
- White dwarf, 994
- White lead, 13
- White phosphorus, 894, 916
- White tin, 904
- Williams, Alison, 4
- Wilson, William W., 910
- Window shades, electrochemical, 494–495
- Wind power, 396
- Wöhler, Friedrich, 1020
- Wood alcohol. *See* Methanol
- Work
 - in adiabatic expansion–compression, 457, 459–460
 - defined, 362, 365
 - electrochemical, 476, 483–485
 - energy and, 361, 362
 - free energy and, 454–455
 - internal energy and, 364–367
 - in isothermal expansion–compression, 419–426
 - maximum, 425–426, 454–456, 484
 - pathway-dependence of, 426
 - PV* work, 366–367, 377–379, 426, 454–455
 - sign convention for, 365, 366, 483
- Worst-case method, for estimating uncertainty, A10–A11
- Wurtzite, 821

Wüstite, 822

Xenon, 35, 928–929
 freezing point, 785

Xenon difluoride, 675–676

Xenon tetrafluoride, 928
 hybrid orbitals for, 673
 VSEPR model, 643–645

Xenon trioxide, 636

X-ray diffraction, 530, 791–793

X-ray spectroscopy, 741

Yates, John, 756

Ye, Jun, 740

Yield of reaction, 80

Yi Lu, 339

-yne (suffix), 1030

Yttrium, 565

Zeolite, 125, 400

Zero-order rate laws, 735–736

Zero-point energy, 548

Zeros in calculations, A12

Zewail, Ahmed H., 721, 743

Ziegler, Karl, 1045

Ziegler–Natta catalyst, 1045, 1047

Zinc, 565, 943, 951–952
 in human body, 895, 896
 plating with, 501, 504

Zinc blende, 821

Zinc oxide, 526

Zinc sulfide, crystal structure, 821

Zink, Jeffrey I., 837

Zirconium, 946

Zirconium oxide, 946

Zone of stability, nuclear, 989,
 990, 991